



ADDENDUM

REPORT	OMEGA ZONE 8	FROM	Andrew Moore, WSP
DATE	21 February 2020	Rev01	CONFIDENTIALITY Public
SUBJECT	Omega Zone 8A and 8B – Ground Gas Assessment		

1. INTRODUCTION

WSP UK Ltd (WSP) was instructed by Omega Warrington Limited (OWL) to update the ground gas risk assessment following completion of the monitoring programme on a parcel of land referred to as Zones 8A and 8B of the Omega South development area (henceforth referred to as 'the site').

This report forms an Addendum to the main WSP Ground Investigation Report as referenced below, which should be consulted for further details:

- Omega South Zone 8A and 8B Ground Investigation Report and Remediation Strategy (ref: 70062937/11482) dated December 2019.

The gas risk assessment forms part of a wider investigation at the site (as detailed within the Ground Investigation Report) to identify potential geotechnical and environmental constraints and opportunities associated with the planned development of the site for the proposed commercial end use.

2. POTENTIAL POLLUTANT LINKAGES

A conceptual site model is presented within the GIR (WSP, December 2019). With respect to ground gas, the following contaminant linkages are potentially viable at the site:

- 1 Inhalation of ground gases by future site users and construction and maintenance workers; and
- 2 Accumulation of ground gases and generation of explosive atmosphere.

3. GROUND GAS INVESTIGATION

Six ground gas monitoring visits have been undertaken between 29 October 2019 and 21 January 2020 in accordance within the recommendations within guidance CIRIA C665¹ – six monitoring visits over two months for a low sensitivity, low gas generation potential site.

Groundwater depths were gauged and ground gas concentrations and flow rates were measured using an infra-red gas analyser (GFM435). Initial and steady concentrations of methane (CH₄) carbon dioxide (CO₂) and oxygen (O₂) and trace gases (including carbon monoxide, hydrogen sulphide) were recorded along within initial and steady gas flow rates. Atmospheric pressure was also noted.

4. FINDINGS

Atmospheric pressure during the monitoring varied between 1037 (Round 6) and 988 (Round 3). Regional barometric pressure was falling during Round 1, Round 3, Round 5 and Round 6 considered to represent worst case conditions and rising during Round 2 and Round 4. The results for the gas monitoring to data are attached and summarised in Table 4.1 below.

¹ CIRIA C665, Assessing risks posed by hazardous ground gases to buildings, 2007.

Table 4.1 – Summary of Ground Gas Monitoring Results

Monitoring well	Response Zone (RZ)	Maximum CH ₄ (% v/v)		Maximum CO ₂ (% v/v)		Flow Rate (l/hr)		Frequency of RZ flooding
		Initial	Steady	Initial	Steady	Initial	Steady	
BH8A01	1.00 – 6.00	0.00	0.00	1.50	0.30	3.00	0.20	6 of 6
BH8A02	1.00 – 5.00	0.00	0.00	1.50	1.70	3.60	0.70	5 of 6
BH8A03	12.00 – 20.10	0.00	0.00	5.40	7.60	42.00	42.00	0 of 6
BH8A05	6.00 – 8.50	0.00	0.00	0.80	1.20	1.20	1.20	6 of 6
BHA806	6.00 – 8.00	0.00	0.00	1.10	1.30	8.30	0.60	6 of 6
BH8A08	6.00 – 12.00	0.00	0.00	1.60	1.50	1.20	0.90	6 of 6
BH8B01	1.00 – 6.00	0.00	0.00	1.80	3.00	0.20	0.00	0 of 6
BH8B03	9.00 – 19.00	0.00	0.00	7.10	7.40	57.30	57.10	0 of 6
WS8A01	1.00 – 5.45	0.00	0.00	7.30	3.80	26.00	4.00	6 of 6
WS8A03	1.00 – 5.45	0.00	0.00	3.00	3.00	58.60	0.60	6 of 6
WS8B02	1.00 – 5.45	0.00	0.00	3.50	3.60	07.50	0.40	6 of 6
WS8B03	1.00 – 5.00	0.00	0.00	2.20	2.30	20.50	3.70	6 of 6
WS8B04	0.50 – 4.50	0.00	0.00	7.20	0.30	0.00	0.00	6 of 6
WS8B05	0.50 – 4.50	0.00	0.00	1.70	1.90	6.70	0.00	6 of 6
WS8B06	1.00 – 4.00	0.00	0.00	0.80	1.80	3.40	0.50	6 of 6
WS8B07	0.50 – 5.00	0.00	0.00	1.60	1.80	9.30	2.00	0 of 6

The data indicates the following:

- No methane concentrations above the limit of detection (0.1%v/v) were recorded.
- Elevated carbon dioxide concentrations (above 5%v/v) were detected in four locations during Round 3 (WS8A01, BH8A03, BH8B03 and WS8B04), and one location during Round 4 and Round 5 (BH8B03). The maximum recorded concentration was 7.60%v/v which was a steady reading from BH8A03, installed within the sandstone. The second highest reading was 7.40%v/v which was a steady reading from BH8B03, which was also recorded in the sandstone. The highest carbon dioxide concentration from a borehole installed within the Till was an initial reading of 7.30%v/v from WS8A01. This reading had reduced to 3.1%v/v for steady state conditions.
- Steady flow rates above the limit of detection typically ranged between 0.40l/hr and 3.70l/hr. Significantly higher steady flow rates were recorded in BH8A03 and BH8B03 during the third round of monitoring (45l/hr and 57.1l/hr respectively).

- Negative flow rates have been observed within a number of wells during the last three rounds of monitoring suggesting gas pressures within the ground are below that of the atmospheric pressure.

During Round 3, elevated carbon dioxide concentrations and extremely high flow rates were recorded in BH8A03 and BH8B03. It is noted detected ground gas concentrations can potentially increase during falling pressure and rapid drops of barometric pressure, when increased emission rates occur. The atmospheric pressure during Round 3 was low and falling. Both BH8A03 and BH8B03 are installed within the bedrock. It is considered the high flow rates and high carbon dioxide concentrations recorded in these locations are the result of barometric pumping, caused when ground pressure does not equalise quickly with air pressure due to the confining nature of the cohesive Till. It is considered the soil gas observed in these wells has likely migrated under high pressure through isolated fractures and joints within the bedrock. The negative flow rates observed in a number of the wells are likely as a result of a rising pressure trend and an atmospheric pressure above that of the ground which results in the effect being reversed

The ground gas results from BH8A03 and BH8B03 during Round 3 appear to be anomalous and not considered to be representative of the ground gas regime in the sandstone on site. Therefore, these results have been discounted from the ground gas risk assessment.

It is noted that a number of locations which had reported high carbon dioxide concentrations or high flow rates, had fully flooded response zones during the monitoring on one or more occasions. This indicates the gas concentrations in these wells may not accurately reflect ambient soil gas concentrations as ground gas will not be able to flow freely into the well from the unsaturated zone.

5. GROUND GAS RISK ASSESSMENT

Monitoring well response zones were predominantly installed within the Till due to an absence of a significant thickness of Made Ground or organic material. Two locations were installed within the sandstone bedrock. A review of the groundwater depths compared to the monitoring well response zones indicates a number of the wells were fully flooded during the monitoring. Gas monitoring results from these locations are not considered to be representative of the ground gas regime on site and therefore were not included in the ground gas risk assessment. In addition, the ground gas monitoring results from BH8A03 and BH8B03 during Round 3 are considered to be anomalous and have been discounted.

Table 5.1 presents the gas screening values (GSV) for each type of strata in accordance with C665. The GSV is the maximum volume of methane or carbon dioxide gas that could be produced each hour and is calculated as follows:

- $GSV = \text{maximum steady carbon dioxide concentrations or methane concentrations (\%)} / 100 \times \text{maximum steady flow rate (l/hr)}.$

As no methane was detected, the GSV has been calculated based on carbon dioxide concentrations.

Table 5.1 – Summary of Ground Gas Monitoring Risk Assessment

Strata	Max Steady Flow Rate (l/hr)	Max Steady Carbon Dioxide (%v/v)	GSV	Characteristic Situation
Till	2.00	3.00	0.06	1 (very low risk)
Sandstone	6.30	7.40	0.46	2 (low risk)

Based on the above the GSV for the Till was 0.06/hr which classifies the site as Characteristic Situation 1 (very low risk) with no gas protection measures required. The GSV for the sandstone was 0.46l/hr which classifies the site as Characteristic Situation 2 (low risk) with gas protection measures indicated to be required.

It is considered that due to absence of a ground gas source in addition to the significant thickness of the low permeability Till overlying the sandstone which will inhibit and/or provide a barrier to gas migration from the bedrock



(between 7 – 14m thick), a classification of CS1 for the site is considered to be appropriate (no gas protection measures required).

6. CONCLUSIONS

The ground gas risk assessment classifies the site as Characteristic Situation 1 based on the assessment of ground gas monitoring data. As such, no ground gas protective measures are considered to be required. Boreholes installed within the sandstone should be decommissioned during the construction phase to prevent them from acting as preferential gas migration pathways.

We trust that the above meets your requirements. However, please do not hesitate to contact me if you should have any queries or comments.




Andrew Moore

Technical Director

Attachments:

Borehole Location Plan
Ground Gas Monitoring Records



Legend

- Zone 8 Site Boundary
- Cone Penetration Test - Pressuremeter Test
- Cable Percussion / Rotary Follow on
- Window Sampler
- Cone Penetration Test
- Trial Pit



Contains Ordnance Survey data © Crown copyright and database right 2019.

0.01 0.035 0.07 0.105 0.14 Kilometres

Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS,







TITLE:

Omega Zone 8 A and B

FIGURE No:

Exploratory Hole Location Plan

Key:

	Depth to water		Methane	Carbon Dioxide	Gas Flow
	Response zone <i>fully</i> flooded during sampling		> 1% v/v	> 5% v/v	> 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				





Visit 1, Event: Round 1, Date: 29/10/2019

Sheet 1 of 2

Engineer	J. Kinchington	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30	Gas Analyser	GFM12009	Yes	
Pressure Start/End (mB)	1020 - 1020				
Temperature (Deg C)	10.00				
Weather Conditions	Clear				

Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
BH8A01	1.00	6.00	3.00	0.00		0.00	0.00	0.60	0.20	19.50	20.60	1.00	0.00	0.00	0.70	5.67	N/A	No
BH8A02	1.00	5.00	3.60	0.00		0.00	0.00	0.20	0.30	19.80	20.20	1.00	0.00	0.00	1.13	5.07	N/A	No
BH8A03	12.00	20.10	0.00	0.00		0.00	0.00	1.00	0.80	19.30	19.50	1.00	0.00	0.00	17.97	20.50	N/A	No
BH8A05	6.00	8.50	0.00	0.00		0.00	0.00	0.30	0.10	19.40	20.40	1.00	0.00	0.00	5.90	8.61	N/A	No
BH8A06	6.00	8.00	0.00	0.00		0.00	0.00	0.20	0.20	19.80	20.40	1.00	0.00	0.00	1.98	7.81	N/A	No
BH8A08	6.00	12.00	0.00	0.00		0.00	0.00	0.20	0.50	19.80	20.40	1.00	0.00	0.00	3.10	11.97	N/A	No
BH8B01	1.00	6.00	0.00	0.00		0.00	0.00	0.20	0.60	19.90	14.10	1.00	0.00	0.00	3.10	5.95	N/A	No
BH8B03	9.00	19.00	4.50	2.50		0.00	0.00	0.10	1.70	16.30	17.20	1.00	0.00	0.00	17.00	17.79	N/A	No
BH8C01	1.00	3.00	0.00	0.00		0.00	0.00	0.10	0.30	19.80	18.40	1.00	0.00	0.00	0.48	3.00	N/A	No
BH8C02	6.00	9.00	0.00	0.00		0.00	0.00	0.20	0.40	20.10	19.00	1.00	0.00	0.00	6.62	9.13	N/A	No
BH8C03	1.00	4.00	0.00	0.00		0.00	0.20	0.30	0.20	19.70	20.50	1.00	0.00	0.00	0.89	4.00	N/A	No
WS8A01	1.00	5.45	14.00	0.00		0.00	0.00	0.10	1.10	19.10	19.40	1.00	0.00	0.00	0.95	5.98	N/A	No
WS8A03	1.00	5.45	0.00	0.00		0.00	0.00	0.20	0.80	19.90	19.80	1.00	0.00	0.00	0.91	4.99	N/A	No
WS8B02	1.00	5.00	0.00	0.00		0.00	0.00	0.40	0.70	19.90	20.10	1.00	0.00	0.00	0.86	4.97	N/A	No

Key:

Depth to water					
	Response zone <i>fully</i> flooded during sampling		Methane > 1% v/v	Carbon Dioxide > 5% v/v	Gas Flow > 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				





Visit 1, Event: Round 1, Date: 29/10/2019

Sheet 2 of 2

Engineer	J. Kinchington	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30	Gas Analyser	GFM12009	Yes	
Pressure Start/End (mB)	1020 - 1020				
Temperature (Deg C)	10.00				
Weather Conditions	Clear				

Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
WS8B03	0.50	4.50	0.00	0.10		0.00	0.00	0.20	0.30	0.20	0.30	1.00	0.00	0.00	0.29	4.24	N/A	No
WS8B04	0.50	4.50	0.00	0.00		0.00	0.00	0.10	0.20	19.80	20.10	1.00	0.00	0.00	0.29	3.98	N/A	No
WS8B05	1.00	4.00	0.00	0.00		0.00	0.00	0.50	0.20	19.70	20.30	1.00	0.00	0.00	0.55	4.93	N/A	No
WS8B06	0.50	5.00	0.00	0.00		0.00	0.00	0.20	0.30	19.50	20.30	1.00	0.00	0.00	0.25	4.94	N/A	No
WS8B07	1.00	5.00	0.00	0.00		0.00	0.00	0.20	0.20	19.90	16.10	1.00	0.00	0.00	2.06	5.12	N/A	No
WS8C01	1.00	3.00	0.00	-1.90		0.00	0.00	0.20	0.20	18.80	20.30	1.00	0.00	0.00	3.16	3.28	N/A	No
WS8C02	1.00	5.00	0.00	0.00		0.00	0.00	0.10	0.60	20.20	19.30	1.00	0.00	0.00	0.94	4.84	N/A	No
WS8C03	1.00	4.00	2.00	0.00		0.00	0.00	0.20	0.10	19.40	20.30	1.00	0.00	0.00	0.10	3.60	N/A	No
WS8C06	1.00	4.00	0.00	0.00		0.00	0.00	0.20	2.10	19.50	15.40	1.00	0.00	0.00		4.02	N/A	No
WS8C07	1.00	5.00	0.00	0.00		0.00	0.00	0.20	0.10	20.10	20.30	1.00	0.00	0.00	0.24	4.90	N/A	No
WS8C08	1.00	5.45	1.50	0.00		0.00	0.00	0.10	0.50	20.10	20.10	1.00	0.00	0.00	0.40	4.85	N/A	No

Key:

	Depth to water		Methane	Carbon Dioxide	Gas Flow
	Response zone <i>fully</i> flooded during sampling		> 1% v/v	> 5% v/v	> 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				

Visit 3, Event: Round 2, Date: 15/11/2019

Sheet 1 of 2

Engineer	E. Lyons	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30	Gas Analyser	GFM12009	No	
Pressure Start/End (mB)	1004 - 1004				
Temperature (Deg C)	8.00				
Weather Conditions	Clear				





Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
BH8A01	1.00	6.00	0.00	0.00		0.00	0.00	0.30	0.10	20.00	20.30	1.00	0.00	0.00	0.70	5.67	N/A	No
BH8A02	1.00	5.00	0.00	0.00		0.00	0.00	0.30	0.30	20.00	20.20	1.00	0.00	0.00	0.94	4.98	N/A	No
BH8A03	12.00	20.10	0.00	0.00		0.00	0.00	0.20	0.10	19.90	20.20	1.00	0.00	0.00	17.96	20.25	N/A	No
BH8A05	6.00	8.50	0.00	0.00		0.00	0.00	0.20	0.20	20.40	20.30	1.00	0.00	0.00	5.52	8.60	N/A	No
BH8A06	6.00	8.00	0.00	0.00		0.00	0.00	0.30	0.30	20.30	20.20	1.00	0.00	0.00	1.85	7.63	N/A	No
BH8A08	6.00	12.00	0.00	0.00		0.00	0.00	0.10	0.30	20.60	20.60	1.00	0.00	0.00	2.78	12.10	N/A	No
BH8B01	1.00	6.00	0.00	0.00		0.00	0.00	0.20	0.60	19.60	16.60	1.00	0.00	0.00	3.03	6.05	N/A	No
BH8B03	9.00	19.00	3.70	3.70		0.00	0.00	0.40	3.10	19.60	12.10	1.00	0.00	0.00	16.98	17.27	N/A	No
WS8A01	1.00	5.45	0.00	0.00		0.00	0.00	0.60	0.70	20.10	19.60	1.00	0.00	0.00	0.87	5.07	N/A	No
WS8A03	1.00	5.45	0.00	0.00		0.00	0.00	0.20	0.40	19.80	19.90	1.00	0.00	0.00	0.91	4.94	N/A	No
WS8B02	1.00	5.00	0.00	0.00		0.00	0.00	0.50	0.50	18.70	20.10	1.00	0.00	0.00	0.80	5.00	N/A	No
WS8B03	0.50	4.50	0.00	0.00		0.00	0.00	0.60	0.30	19.70	20.10	1.00	0.00	0.00	0.28	4.38	N/A	No
WS8B04	0.50	4.50	0.00	0.00		0.00	0.00	2.30	0.30	13.40	20.10	1.00	0.00	0.20	0.15	3.88	N/A	No
WS8B05	1.00	4.00	1.60	0.00		0.00	0.00	0.40	0.20	19.40	20.10	1.00	0.00	0.00	0.53	4.93	N/A	No

Gas Flow
> 70 l/hr

Sheet 2 of 2

[illegible]

Key:

	Depth to water		Methane	Carbon Dioxide	Gas Flow
	Response zone <i>fully</i> flooded during sampling		> 1% v/v	> 5% v/v	> 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				

Visit 5, Event: Round 3, Date: 29/10/2019

Sheet 1 of 2

Engineer	J. Kinchington	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30	Gas Analyser	GFM12009	Yes	
Pressure Start/End (mB)	1020 - 1020				
Temperature (Deg C)	10.00				
Weather Conditions	Clear				

Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
BH8A01	1.00	6.00	1.40	0.00		0.00	0.00	1.50	0.30	17.10	19.80	1.00	0.00	0.00	0.52	5.69	N/A	No
BH8A02	1.00	5.00	0.90	0.00		0.00	0.00	0.30	1.30	19.80	19.40	1.00	0.00	0.00	0.83	4.97	N/A	No
BH8A03	12.00	20.10	42.00	42.00		0.00	0.00	5.40	7.60	4.70	1.20	1.00	0.00	0.00	17.91	18.00	N/A	No
BH8A05	6.00	8.50	0.00	0.00		0.00	0.00	0.60	0.90	19.90	16.80	1.00	0.00	0.00	5.55	8.63	N/A	No
BH8A06	6.00	8.00	8.30	0.30		0.00	0.00	0.80	0.90	18.90	19.50	1.00	0.00	0.00	1.91	7.81	N/A	No
BH8A08	6.00	12.00	0.00	0.00		0.00	0.00	0.20	0.80	19.60	20.00	1.00	0.00	0.00	2.79	12.09	N/A	No
BH8B01	1.00	6.00	0.20	0.00		0.00	0.00	0.60	1.60	18.30	5.90	1.00	0.00	0.00	3.09	6.06	N/A	No
BH8B03	9.00	19.00	57.30	57.10		0.00	0.00	6.70	7.30	1.60	0.20	1.00	0.00	0.00		17.28	N/A	No
WS8A01	1.00	5.45	26.00	0.00		0.00	0.00	7.30	3.10	8.90	16.20	1.00	0.00	0.00	0.81	5.04	N/A	No
WS8A03	1.00	5.45	58.60	0.80		0.00	0.00	0.40	3.00	15.70	15.30	1.00	0.00	0.00	0.83	4.89	N/A	No
WS8B02	1.00	5.00	7.50	0.40		0.00	0.00	0.60	1.60	17.90	18.60	1.00	0.00	0.00	0.78	5.00	N/A	No
WS8B03	0.50	4.50	20.50	0.30		0.00	0.00	2.00	2.00	18.00	16.70	1.00	0.00	0.00	0.19	4.32	N/A	No
WS8B04	0.50	4.50	0.00	0.00		0.00	0.00	7.20	0.20	4.40	19.80	1.00	0.00	0.00	0.08	3.91	N/A	No
WS8B05	1.00	4.00	6.70	0.00		0.00	0.00	1.20	1.60	18.60	16.00	1.00	0.00	0.00	0.51	4.98	N/A	No



Key:

Depth to water

Response zone *fully* flooded during sampling

Response zone *significantly* flooded during sampling

Datum or reponse zone information missing. Response zone flooding cannot be calculated

Methane

> 1% v/v

Carbon Dioxide

> 5% v/v





Gas Flow

> 70 l/hr

Engineer	J. Kinchington	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30	Gas Analyser	GFM12009	Yes	
Pressure Start/End (mB)	1020 - 1020				
Temperature (Deg C)	10.00				
Weather Conditions	Clear				

Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure Pa	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water m	Depth to Base m	Thickness of product mm	Sampled ? Y/N
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO				
WS8B06	0.50	5.00	3.40	0.00		0.00	0.00	0.60	1.70	17.20	17.10	1.00	0.00	0.00	0.21	5.04	N/A	No

Key:

	Depth to water		Methane	Carbon Dioxide	Gas Flow
	Response zone <i>fully</i> flooded during sampling		> 1% v/v	> 5% v/v	> 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				





Visit 7, Event: Round 4, Date: 02/01/2020

Sheet 1 of 2

Engineer	E. Lyons	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30				
Pressure Start/End (mB)	1014 - 1011				
Temperature (Deg C)	10.00				
Weather Conditions	Overcast				

Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
BH8A01	1.00	6.00	0.40	0.20		0.00	0.00	0.40	0.30	19.50	19.20	1.00	0.00	0.00	0.48	5.64	N/A	No
BH8A02	1.00	5.00	0.80	0.70		0.00	0.00	1.50	1.50	18.90	18.90	1.00	0.00	0.00	0.78	4.86	N/A	No
BH8A03	12.00	20.10	6.40	6.30		0.00	0.00	0.90	0.90	18.80	19.60	1.00	0.00	0.00	17.89	20.15	N/A	No
BH8A05	6.00	8.50	1.20	1.20		0.00	0.00	0.90	1.20	19.00	16.50	1.00	0.00	0.00	5.84	8.62	N/A	No
BH8A06	6.00	8.00	-5.50	0.60		0.00	0.00	1.10	1.30	18.30	17.50	1.00	0.00	0.00	1.88	7.88	N/A	No
BH8A08	6.00	12.00	1.20	0.90		0.00	0.00	1.60	1.50	19.20	18.50	1.00	0.00	0.00	2.93	11.96	N/A	No
BH8B01	1.00	6.00	0.00	0.00		0.00	0.00	1.80	0.90	9.80	13.40	1.00	0.00	0.00	3.15	6.07	N/A	No
BH8B03	9.00	19.00	5.80	6.30		0.00	0.00	7.10	7.40	2.10	0.00	1.00	0.00	0.00		17.29	N/A	No
WS8A01	1.00	5.45	3.80	0.40		0.00	0.00	3.40	3.80	16.10	13.60	1.00	0.00	0.00	0.83	5.10	N/A	No
WS8A03	1.00	5.45	6.70	0.60		0.00	0.00	3.00	3.00	12.90	12.80	1.00	0.00	0.00	0.77	4.89	N/A	No
WS8B02	1.00	5.00	6.40	0.20		0.00	0.00	3.50	3.60	17.60	17.40	1.00	0.00	0.00	0.79	5.00	N/A	No
WS8B03	0.50	4.50	4.30	0.10		0.00	0.00	2.20	2.30	15.60	14.20	1.00	0.00	0.00	0.21	4.31	N/A	No
WS8B04	0.50	4.50	0.00	0.00		0.00	0.00	0.70	0.20	13.50	19.80	1.00	0.00	0.00	0.11	3.85	N/A	No
WS8B05	1.00	4.00	0.00	0.00		0.00	0.00	1.70	1.80	14.10	12.60	1.00	0.00	0.00	0.55	5.00	N/A	No





Depth to water

	Response zone <i>fully</i> flooded during sampling	
	Response zone <i>significantly</i> flooded during sampling	
	Datum or response zone information missing. Response zone flooding cannot be calculated	

Gas Flow
 > 70 l/hr

Sheet 2 of 2

Key:

	Depth to water		Methane	Carbon Dioxide	Gas Flow
	Response zone <i>fully</i> flooded during sampling		> 1% v/v	> 5% v/v	> 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				

Visit 9, Event: Round 5, Date: 08/01/2020

Sheet 1 of 2

Engineer	E. Lyons	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30				
Pressure Start/End (mB)	1019 - 1017				
Temperature (Deg C)	10.00				
Weather Conditions	Overcast				





Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
BH8A01	1.00	6.00	0.20	0.00		0.00	0.00	0.50	0.30	18.40	19.60	1.00	0.00	0.00	0.46	5.67	N/A	No
BH8A02	1.00	5.00	0.20	0.00		0.00	0.00	1.40	1.40	19.20	19.10	1.00	0.00	0.00	0.73	4.87	N/A	No
BH8A03	12.00	20.10	-0.60	-0.10		0.00	0.00	0.70	2.20	18.70	12.80	1.00	0.00	0.00	17.84	20.33	N/A	No
BH8A05	6.00	8.50	0.30	0.10		0.00	0.00	0.80	1.20	19.50	16.80	1.00	0.00	0.00	5.75	8.62	N/A	No
BH8A06	6.00	8.00	-6.80	0.00		0.00	0.00	1.00	1.20	18.90	18.00	1.00	0.00	0.00	1.95	7.80	N/A	No
BH8A08	6.00	12.00	0.70	0.20		0.00	0.00	1.50	1.10	19.40	18.90	1.00	0.00	0.00	2.89	12.03	N/A	No
BH8B01	1.00	6.00	0.00	0.00		0.00	0.00	1.60	1.60	10.20	8.20	1.00	0.00	0.00	3.05	6.04	N/A	No
BH8B03	9.00	19.00	-4.20	-4.20		0.00	0.00	0.60	7.30	19.10	1.10	1.00	0.00	0.00		17.24	N/A	No
WS8A01	1.00	5.45	0.00	0.00		0.00	0.00	3.10	3.40	17.00	15.30	1.00	0.00	0.00	0.83	5.07	N/A	No
WS8A03	1.00	5.45	9.90	0.10		0.00	0.00	2.40	2.50	16.30	15.10	1.00	0.00	0.00	0.68	4.92	N/A	No
WS8B02	1.00	5.00	-4.20	0.00		0.00	0.00	2.40	3.10	17.00	17.70	1.00	0.00	0.00	0.72	5.00	N/A	No
WS8B03	0.50	4.50	-9.80	0.00		0.00	0.00	2.00	2.20	18.30	17.90	1.00	0.00	0.00	0.10	4.29	N/A	No
WS8B04	0.50	4.50	0.00	0.00		0.00	0.00	0.70	0.20	17.20	19.60	1.00	0.00	0.00	0.19	3.88	N/A	No
WS8B05	1.00	4.00	0.00	0.00		0.00	0.00	0.70	1.60	18.60	12.60	1.00	0.00	0.00	0.61	5.00	N/A	No

Gas Flow
 > 70 l/hr

Sheet 2 of 2

[illegible]

Key:

	Depth to water		Methane	Carbon Dioxide	Gas Flow
	Response zone <i>fully</i> flooded during sampling		> 1% v/v	> 5% v/v	> 70 l/hr
	Response zone <i>significantly</i> flooded during sampling				
	Datum or response zone information missing. Response zone flooding cannot be calculated				





Visit 10, Event: Round 6, Date: 21/01/2020

Sheet 1 of 2

Engineer	E. Lyons	Equipment	SerialNo	Calibrated	Comments and Ground Conditions:
Start/End Time	08:30 - 16:30				
Pressure Start/End (mB)	1037 - 1037				
Temperature (Deg C)	8.00				
Weather Conditions	Overcast				

Borehole	Response Zone (m)		Gas Flow (l/hr)		Borehole Differential Pressure	Methane (% v/v)		Carbon Dioxide (% v/v)		Oxygen (% v/v)		Other Gases (ppmV)			Depth to Water	Depth to Base	Thickness of product	Sampled ?
	Top	Base	Initial	Steady		Initial	Steady	Initial	Steady	Initial	Steady	PID	H2S	CO	m	m	mm	Y/N
BH8A01	1.00	6.00	-2.40	0.00		0.00	0.00	0.30	0.30	20.20	18.80	1.00	0.00	0.00	0.46	5.50	N/A	No
BH8A02	1.00	5.00	0.90	0.00		0.00	0.00	1.60	1.70	19.00	18.90	1.00	0.00	0.00	0.95	4.85	N/A	No
BH8A03	12.00	20.10	-30.00	-31.30		0.00	0.00	0.30	0.20	20.20	20.20	1.00	0.00	0.00	17.81	20.10	N/A	No
BH8A05	6.00	8.50	0.00	0.00		0.00	0.00	0.70	1.10	19.80	17.50	1.00	0.00	0.00	5.79	8.60	N/A	No
BH8A06	6.00	8.00	-2.50	0.00		0.00	0.00	0.90	1.30	19.20	18.00	1.00	0.00	0.00	1.92	7.63	N/A	No
BH8A08	6.00	12.00	0.00	0.00		0.00	0.00	1.70	0.80	19.30	19.70	1.00	0.00	0.00	3.00	11.89	N/A	No
BH8B01	1.00	6.00	-0.60	0.00		0.00	0.00	1.70	3.00	13.00	7.20	1.00	0.00	0.00	3.04	6.01	N/A	No
BH8B03	9.00	19.00	-34.50	-33.80		0.00	0.00	0.20	0.20	20.50	20.20	1.00	0.00	0.00			N/A	No
WS8A01	1.00	5.45	-3.20	0.00		0.00	0.00	3.10	3.60	17.80	15.80	1.00	0.00	0.00	0.79	5.03	N/A	No
WS8A03	1.00	5.45	10.80	0.00		0.00	0.00	2.40	2.80	17.30	15.90	1.00	0.00	0.00	0.60	4.87	N/A	No
WS8B02	1.00	5.00	-12.10	0.00		0.00	0.00	1.90	3.00	17.80	18.10	1.00	0.00	0.00	0.60	4.69	N/A	No
WS8B03	0.50	4.50	-12.30	0.00		0.00	0.00	2.10	2.40	17.50	15.40	1.00	0.00	0.00	0.06	4.26	N/A	No
WS8B04	0.50	4.50	0.00	0.00		0.00	0.00	0.20	0.20	20.40	20.20	1.00	0.00	0.00	0.16	3.89	N/A	No
WS8B05	1.00	4.00	-1.80	0.00		0.00	0.00	1.80	1.90	16.60	13.90	1.00	0.00	0.00	0.62	4.96	N/A	No

Depth to water

	Response zone <i>fully</i> flooded during sampling	
	Response zone <i>significantly</i> flooded during sampling	
	Datum or response zone information missing. Response zone flooding cannot be calculated	

Gas Flow
 > 70 l/hr

Sheet 2 of 2