

CD43.28



Omega Warrington Limited

---

## OMEGA ZONE 8

### Technical Note





**Omega Warrington Limited**

---

## **OMEGA ZONE 8**

**Technical Note**

**TYPE OF DOCUMENT (VERSION) CONFIDENTIAL**

**PROJECT NO. 11191042**

**DATE: MARCH 2020**

WSP

7 Lochside View  
Edinburgh Park  
Edinburgh, Midlothian  
EH12 9DH

Phone: +44 131 344 2300

Fax: +44 131 344 2301

WSP.com



# QUALITY CONTROL

---

Issue/revision	First issue	Revision 1	Revision 2	Revision 3
Remarks				
Date	13/03/2020			
Prepared by	M. Orr / A. Stone			
Signature				
Checked by	D. Bisset			
Signature				
Authorised by	D. Bisset			
Signature				
Project number	11191042			
Report number	01			

# CONTENTS

---

1	INTRODUCTION	2
2	COMMENT RESPONSES	4

---

## TABLES

---

Table 2-1 – Zone 1-2 and Mountpark 2 Development Vehicle Trip Rates and Resultant Trips	5
Table 2-2 – Peak Hour Check	6
Table 2-3 – Growth Factor (2019 to 2029)	7
Table 2-4 – Burtonwood Services Vehicle Trip Rates and Resultant Trips	9
Table 2-5 – Correction Comparison	12

## FIGURES

---

Figure 2-1 - Burtonwood Road 2007 TA Trip Generation	8
Figure 2-2 - Burtonwood Road Services Plan	9
Figure 2-3 - Burtonwood Road Services Current Build Out	10
Figure 2-4 - Burtonwood Road 2007 TA Trip Distribution	10
Figure 2-5 - Burtonwood Road Services Distribution from TA Analysis	11

## APPENDICES

---

APPENDIX A

NETWORK DIAGRAMS

APPENDIX B

JUNCTION MODELLING OUTPUT FILES

# 1 INTRODUCTION

---

## 1.1 GENERAL

- 1.1.1. WSP UK Limited (WSP) has been commissioned by Omega Warrington Limited (OWL), to provide transportation advice in support of a hybrid planning application for c. 205,500sqm (c.2,210,500sqft) B2/B8 industrial uses on Omega Zone 8, located in the Borough of St Helens.
- 1.1.2. The application will comprise a detailed planning application for an c.880,000sqft B8 industrial use to the north of the site and an outline planning application for the remaining B2/B8 industrial uses to the south of the site.
- 1.1.3. This Technical Note has been prepared in response to comments raised by Highways England upon their review of the Transport Assessment which was submitted 13<sup>th</sup> December 2019. The primary comments are as follows:
1. *"The majority of the proposed development site falls within the boundary of "Site 1EA – Omega South Western Extension – Land North of Finches Plantation," which has a site area of around 31 hectares, proposing B2/B8 land use. However, WSP also note that the St Helens Local Plan which includes this site allocation has not yet been adopted, and as such the planning application remains on unallocated greenbelt land. The consultant should review paragraph 22 of the circular and seek to directly demonstrate that their assessment is consistent with this.*
  2. *Two additional developments (referred to as Mountpark 2 & Zone 1-2 B2/B8 Development) are included in the assessment scenarios, but have not been referenced in the TA, WSP request further information regarding the Mountpark 2 & Zone 1-2 B2/B8 developments, including trip generation & distribution assumptions.*
  3. *The development trips generation and background traffic should be presented over a longer period to take into account shift change times at B2/B8 units and how this will change flow volumes in the context of background traffic.*
  4. *Background TEMPro growth factors are not included in the report for the 2029 scenario. The growth factors should be provided to allow a review.*
  5. *How traffic associated with the committed Burtonwood Road services development has been accounted for should be clarified.*
  6. *Mountpark 2 and Zone 1-2 B8 Developments are included in the traffic assumptions, but these are not referenced within the TA report. More information should be provided regarding the trip generation and distribution assumed for these sites within the TA.*
  7. *The build-up of development traffic is complex and there is some variation on terminology between committed developments and development consideration. We therefore request a clear explanation of the exact make up of each scenario.*
  8. *WSP have reviewed the proposed trip rate calculations undertaken based on the surveys, and established an error in regard to the B8 trip rates. On review, it appears that the B8 trip rates have been calculated using the weighting which should have been applied for the B2 units instead of the B8. WSP request that the developer's consultant revisits the calculations undertaken to derive the B8 trip rates.*
  9. *A 2019 survey TRANSYT scenario should be modelled and DOS and/or queue values compared with observed conditions to establish the model appropriately reflects reality.*
  10. *The source of intergreens, signal timings and cycle time in the TRANSYT model should be clarified.*

11. Modifications to the distribution of traffic between lanes in the TRANSYT model have been made manually and these should be explained.
  12. Differences are present between the with and without mitigation models that do not appear to be connected to the mitigation, such as an additional phase delay. we would suggest model changes from the existing are noted for information and to ensure a fair / appropriate comparison.
  13. There appears to be a minor flow discrepancy between the flows provided in the report and within the model in Scenario 5 at M62 J8.
  14. The proposed mitigation scenario promotes using the two lanes available on the Skyline Drive exit. The exit merges from two lanes to one approximately 100m from the junction. Research has shown the presence of exit merges can influence upstream lane choice. We therefore suggest a sensitivity test should be undertaken with a 75/25% nearside / offside split in traffic to the Skyline Drive exit.
  15. The TA includes a chapter outlining a Framework Travel Plan (FTP) for the proposed development, which seeks to provide a basis for how a full Travel Plan (TP) might operate upon full occupation of the development. WSP suggest that the consultant could have sought to use data from the existing operational units on the wider Omega site, which would indicate the existing mode share in the area. This would therefore allow the occupier to derive some robust SMART targets for mode shift based on existing local data and implement the appropriate measures to encourage positive travel behaviours early in the new developments operation.”
- 1.1.4. The following chapters seek to address the comments from Highways England, providing clarification and updated analysis where required.

## 2 COMMENT RESPONSES

---

### 2.1 COMMENT 1

2.1.1. Comment 1 from Highways England is as follows:

- | “The majority of the proposed development site falls within the boundary of “Site 1EA – Omega South Western Extension – Land North of Finches Plantation,” which has a site area of around 31 hectares, proposing B2/B8 land use. However, WSP also note that the St Helens Local Plan which includes this site allocation has not yet been adopted, and as such the planning application remains on unallocated greenbelt land. The consultant should review paragraph 22 of the circular and seek to directly demonstrate that their assessment is consistent with this.”

2.1.2. The Transport Assessment for Omega Zone 8 has been prepared in accordance with a scope agreed with St Helens Metropolitan Borough Council, Warrington Borough Council and Highways England, taking due consideration of relevant committed developments as agreed with the relevant highway authorities.

### 2.2 COMMENTS 2 AND 6

2.2.1. Comments 2 and 6 from Highways England are as follows:

- | **Comment 2** – “Two additional developments (referred to as Mountpark 2 & Zone 1-2 B2/B8 Development) are included in the assessment scenarios, but have not been referenced in the TA, WSP request further information regarding the Mountpark 2 & Zone 1-2 B2/B8 developments, including trip generation & distribution assumptions.”
- | **Comment 6** – “Mountpark 2 and Zone 1-2 B8 Developments are included in the traffic assumptions, but these are not referenced within the TA report. More information should be provided regarding the trip generation and distribution assumed for these sites within the TA.”

2.2.2. These two comments are essentially requesting the same information, which is the trip generation and distribution assumptions for the site located within Omega South previously known as Zones 1-2 (now known as Mountpark 2).

2.2.3. The site was previously consented for the following:

- | B1 Land Use – 59,458m<sup>2</sup> GFA;
- | B2 Land Use – 20,903m<sup>2</sup> GFA; and
- | B8 Land Use – 48,774m<sup>2</sup> GFA.

2.2.4. The recent reserved matters application for the Zone 1-2 Site (Planning No. 2019/35646) has been approved (November 2019), which reduces the B2/B8 land uses to 20,567m<sup>2</sup> and 47,990m<sup>2</sup> respectively, and removes the B1 land uses proposals in order to free up the land for residential use (Phase 4-7).

2.2.5. The trip generation rates for the B2/B8 land uses associated with Zones 1 & 2 have been extracted from the Omega South - Zones 1 & 2 TA (WSP, May 2017). As agreed at the scoping stage, the same trip rates have been applied to the revised Mountpark 2 proposals. The trip rates and resultant trips for the Zones 1-2 B2/B8 and Mountpark 2 developments are indicated in Table 2-1.

**Table 2-1 – Zone 1-2 and Mountpark 2 Development Vehicle Trip Rates and Resultant Trips**

Scenario	AM Peak Hour (08:00-09:00)		PM Peak Hour (17:00-18:00)	
	Arrivals	Departures	Arrivals	Departures
B2 Car Trip Rate (per 100m <sup>2</sup> GFA)	0.442	0.203	0.111	0.385
B8 Car Trip Rate (per 100m <sup>2</sup> GFA)	0.033	0.009	0.009	0.031
B2 HGV Trip Rate (per 100m <sup>2</sup> GFA)	0.017	0.009	0.007	0.010
B8 HGV Trip Rate (per 100m <sup>2</sup> GFA)	0.015	0.018	0.015	0.013
Zone 1-2 B2 Total PCU (20,903m <sup>2</sup> )	101	52	27	85
Zone 1-2 B8 Total PCU (48,774m <sup>2</sup> )	33	20	21	30
<b>Zone 1-2 B2/ B8 Total PCU</b>	<b>133</b>	<b>77</b>	<b>48</b>	<b>115</b>
Mountpark 2 B2 Total PCU (20,567m <sup>2</sup> )	99	51	26	84
Mountpark 2 B8 Total PCU (47,990m <sup>2</sup> )	32	24	21	29
<b>Mountpark 2 B2/ B8 Total PCU</b>	<b>131</b>	<b>75</b>	<b>47</b>	<b>113</b>

- 2.2.6. Table 2-1 indicates that due to the slight reduction in GFA, the trips associated with the site have decreased slightly with the most recent planning consent.
- 2.2.7. The distribution and assignment have been undertaken using the process outlined in Chapter 7 of the TA (2017 Postcode Distribution for general vehicles and turning proportions for HGV's). This has been done to ensure consistency in distribution for similar developments within Omega South.

## 2.3 COMMENT 3

- 2.3.1. Comment 3 from Highways England is as follows:
  - i “The development trips generation and background traffic should be presented over a longer period to take into account shift change times at B2/B8 units and how this will change flow.”
- 2.3.2. In order to understand whether we have truly captured the peak periods with both the development and background traffic taken into consideration, we have undertaken an exercise where we have combined the 2019 surveyed flows at the M62 J8 with the Zone 8 development flows. This has been done for the hours that we have survey data for (05:00 to 10:00 and 16:00 to 19:00), to determine if the identified peaks are correct. Committed development flows have not been included as we do not have trip generation values outside the peaks. Table 2-2 below indicates the result of this test.

**Table 2-2 – Peak Hour Check**

Hour	M62 J8 2019 Total Flows	Zone 8 Total Development Flows	Total
0500-0600	1685	861	2547
0600-0700	2487	864	3351
0700-0800	3563	455	4019
<b>0745-0845</b>	<b>3895</b>	<b>498</b>	<b>4393</b>
0900-1000	2614	506	3120
1600-1700	3903	561	4464
<b>1645-1745</b>	<b>4379</b>	<b>599</b>	<b>4978</b>
1800-1900	3462	449	3910

2.3.3. Table 2-2 indicates that the peak hours that have been used in the assessment contained within the TA represent the worst-case time periods and therefore confirm that our assessment is robust.

## 2.4 COMMENT 4

2.4.1. Comment 4 from Highways England is as follows:

i “Background TEMPro growth factors are not included in the report for the 2029 scenario. The growth factors should be provided to allow a review. “

2.4.2. The Department for Transport’s Tempro V7.2 has been used identify a factor which can be used to growth the surveyed flows to the sensitivity year (2029). In terms of settings, the area type was set to rural, the road type was set to principal / motorway and the areas shown in Table 2-3 were selected, as they surround and include Omega South. Average growth factors were then extracted for the two road types.

**Table 2-3 – Growth Factor (2019 to 2029)**

Level	Area	Principal Local Growth Factor	Motorway Local Growth Factor
E02002592	Warrington 003	1.093	1.114
E02002595	Warrington 006	1.108	1.129
E02002598	Warrington 009	1.080	1.100
E02002599	Warrington 010	1.079	1.099
E02002602	Warrington 013	1.114	1.135
E02002604	Warrington 015	1.079	1.099
E02002605	Warrington 016	1.075	1.096
E02002607	Warrington 018	1.103	1.124
E02002608	Warrington 019	1.092	1.113
E02001427	St. Helens 022	1.085	1.106
Average		1.091	1.111

- 2.4.3. Growth factors of 1.091 (All roads except motorway) and 1.111 (motorway only) have been applied to the 2019 AM and PM surveyed flows to produce AM and PM 2029 Base traffic flows.

## 2.5 COMMENT 5

- 2.5.1. Comment 5 from Highways England is as follows:

i “How traffic associated with the committed Burtonwood Road services development has been accounted for should be clarified.”

### TRIP RATES

- 2.5.2. Figure 2-1 below is an excerpt from the 2007 Transport Assessment, produced by Scott Wilson, which indicates the trip generation characteristics of the Burtonwood Road Services Development.

**Figure 2-1 - Burtonwood Road 2007 TA Trip Generation**

**Table 3: TRICS Interrogation**


Land use	Site area (m <sup>2</sup> )	GFA (m <sup>2</sup> )	Weekday trip rates (85th percentile)				Number of weekday trips			
			AM PEAK		PM PEAK		AM PEAK		PM PEAK	
			IN	OUT	IN	OUT	IN	OUT	IN	OUT
B1 business offices	20,355	10,917	1.88	0.17	0.15	1.43	205	19	16	156
C1 hotel	7,689	7,689	0.54	0.70	0.79	0.40	42	54	61	31
B2 General industry	27,114	10,127	0.92	0.19	0.18	0.74	93	19	18	75
B8 Storage distribution	27,114	10,127	0.23	0.23	0.22	0.45	23	23	22	46
B8 Self storage	4,532	2,323	0.16	0.07	0.08	0.16	4	2	2	4
<b>TOTAL</b>	<b>86,804</b>	<b>41,183</b>					<b>367</b>	<b>117</b>	<b>119</b>	<b>311</b>

Trip Rates for B1, C1 and A3 are per 100 metres<sup>2</sup>

Assume a 50/50 mix of B2 General industry and B8 Storage distribution

- 2.5.3. Figure 2-2 below indicates the plan of the consented site (as of 2007) and the associated consented land uses.

## **Figure 2-2 - Burtonwood Road Services Plan**



- 2.5.4. Our assessment has used the trip rates as set out in Figure 2-1 above, as instructed by Warrington Borough Council, and we have assumed that that only the hotel / pub / restaurant has been constructed. We believe that this is a robust assessment as a number of restaurants and a health facility have been built on land allocated for B1 uses, with limited land available for the previously consented land uses. Table 2-4 below indicates the trip generation figures used in our analysis, while Figure 2-3 highlights the current build out of the site.

**Table 2-4 – Burtonwood Services Vehicle Trip Rates and Resultant Trips**

Scenario	AM Peak Hour (08:00-09:00)		PM Peak Hour (17:00-18:00)	
	Arrivals	Departures	Arrivals	Departures
B1 Business Trip Rate	1.88	0.17	0.15	1.43
B2 General Industry Trip Rate	0.92	0.19	0.18	0.74
B8 Self Storage Trip Rate	0.16	0.07	0.08	0.16
B8 Storage Distribution Trip Rate	0.23	0.23	0.22	0.45
B1 Business Trips (10,917m <sup>2</sup> )	205	19	16	156
B2 Gen. Industry Trips (10,127m <sup>2</sup> )	93	19	18	75
B8 Self Storage Trips (2,323m <sup>2</sup> )	4	2	2	4
B8 Storage Dist. Trips (10,127m <sup>2</sup> )	23	23	22	46
<b>Total Trips</b>	<b>325</b>	<b>63</b>	<b>59</b>	<b>280</b>


**Figure 2-3 - Burtonwood Road Services Current Build Out**



## TRIP DISTRIBUTION


- 2.5.5. Figure 2-4 below is an excerpt from the 2007 Transport Assessment, produced by Scott Wilson, which indicates the trip distribution characteristics of the Burtonwood Road Services Development.

**Figure 2-4 - Burtonwood Road 2007 TA Trip Distribution**



- 2.5.6. Figure 2-5 below is the distribution that has been used in our analysis.

**Figure 2-5 - Burtonwood Road Services Distribution from TA Analysis**



- 2.5.7. With the exception of a change in road layout for Charon Way since the 2007 TA was produced, the distributions are identical

## 2.6 COMMENT 7

- 2.6.1. Comment 7 from Highways England is as follows:

i “The build-up of development traffic is complex and there is some variation on terminology between committed developments and development consideration. We therefore request a clear explanation of the exact make up of each scenario.”

- 2.6.2. The Omega Zone 8 TA includes the assessment of two primary scenarios known as Scenario 2 and Scenario 5.

### SCENARIO 2 – 2021 BASE + COMMITTED

- 2.6.3. Scenario 2 comprises the following:

- i 2021 Base traffic flows (factored from 2019 surveys using TEMPRO growth factors);
- i Currently Committed – Mountpark B2/B8 Land Uses;
- i Currently Committed – Zone 1-2 B1/B2/B8 Land Uses;
- i Currently Committed – Zone 3-6 Residential / Discount Foodstore / Hotel Pub and Restaurant and Care Home Land Uses;
- i Currently Committed – Lingley Mere Business Park Residential; and
- i Currently Committed – Burtonwood Services Land Uses.

## SCENARIO 5 – 2021 BASE + COMMITTED + DEVELOPMENT

2.6.4. Scenario 5 comprises the following:

- | 2021 Base traffic flows (factored from 2019 surveys using TEMPRO growth factors);
- | Currently Committed – Mountpark B2/B8 Land Uses;
- | Currently Committed – Zone 3-6 Residential / Discount Foodstore / Hotel Pub and Restaurant and Care Home Land Uses;
- | Currently Committed – Lingley Mere Business Park Residential;
- | Currently Committed – Burtonwood Services Land Uses;
- | Replacement Development – Mountpark 2 B2 / B8 Land Uses (Replaces Zone 1-2 B2/B8 Development);
- | Replacement Development – Phase 4-7 Residential Land Use (300-unit net increase over already consented residential units and replaces the Zone 1-2 B1 Land Use); and
- | Proposed Development – Omega Zone 8 B2/B8 Land Uses.

## 2.7 COMMENT 8

2.7.1. Comment 8 from Highways England is as follows:

- | *"WSP have reviewed the proposed trip rate calculations undertaken based on the surveys and established an error in regard to the B8 trip rates. On review, it appears that the B8 trip rates have been calculated using the weighting which should have been applied for the B2 units instead of the B8. WSP request that the developer's consultant revisits the calculations undertaken to derive the B8 trip rates."*

2.7.2. We acknowledge that there is an error in the formulas as set out above and we have therefore updated the spreadsheet, correcting this error. Table 2-5 below indicates the impact of the error correction.

**Table 2-5 – Correction Comparison**

Type	AM Peak Hour (08:00-09:00)		PM Peak Hour (17:00-18:00)	
	Arrivals	Departures	Arrivals	Departures
<b>Pre-Correction</b>				
B2+B8 General Vehicle Trips (PCU)	198	42	120	219
B2+B8 HGV Vehicle Trips (PCU)	92	123	123	86
B2+B8 Total Vehicle Trips (PCU)	290	165	243	305
<b>Post-Correction</b>				
B2+B8 General Vehicle Trips (PCU)	230	52	132	251
B2+B8 HGV Vehicle Trips (PCU)	106	109	123	92
B2+B8 Total Vehicle Trips (PCU)	337	161	256	343

Type	AM Peak Hour (08:00-09:00)		PM Peak Hour (17:00-18:00)	
	Arrivals	Departures	Arrivals	Departures
<b>Difference (Post – Pre)</b>				
B2+B8 General Vehicle Trips (PCU)	33	10	12	32
B2+B8 HGV Vehicle Trips (PCU)	14	-14	0	6
B2+B8 Total Vehicle Trips (PCU)	47	-4	12	38

- 2.7.3. Table 2-5 above indicates that there will be a net increase of 43 and 50 PCU's in the AM and PM Peak periods respectively. Given the level of this increase, we have re-run the analysis of the M62 J8 Model. This is included in Chapter 3 and takes into consideration all changes as a result of the Highways England comments.

## 2.8 COMMENT 9

- 2.8.1. Comment 9 from Highways England is as follows:
- | “A 2019 survey TRANSYT scenario should be modelled and DOS and/or queue values compared with observed conditions to establish the model appropriately reflects reality.”
- 2.8.2. Queue surveys, which recorded the maximum queue over 5-minute intervals on each lane, were undertaken during the junction turning count survey on Tuesday 11 June 2019. As stated in the TA, the AM and PM peak hours of network operations were:
- | 07:45 to 08:45; and
  - | 16:45 to 17:45.
- 2.8.3. A ‘2019 Existing Scenario’ model was developed at the beginning of this study, which in turn was used as a foundation for the development of the 2021 Base Model and subsequent Scenarios. Average 5-minute max queuing on the approaches were referred to during the development of the ‘2019 Existing Scenario’ model to ensure that these broadly matched. It should be noted that, as Junction 8 currently operates under MOVA control, reflecting the queues accurately in a fixed time scenario is challenging and should be approached with the appropriate level of caution.
- 2.8.4. Nevertheless, WSP has undertaken a comparison of the AM and PM hour average 5-minute max queuing collected during the survey versus the MMQ predicted within the model. The results are shown in Table 2-6.

**Table 2-6: 2019 Existing Scenario: Modelled Queueing vs Observed Queueing**

Approach	Direction	Movement	AM PEAK			PM PEAK		
			Modelled Queue	Surveyed Queue	Diff (Modelled - Survey)	Modelled Queue	Surveyed Queue	Diff (Modelled - Survey)
Burtonwood Rd N (SB)	Left	2a	3	4	-1	3	3	0
	Left Ahead	2b	8	8	0	5	6	-1
	Right	2c	5	6	-1	3	4	-1
East Circulatory	Ahead	2d	11	9	2	7	7	0
	Right	2e	2	7	-5	3	5	-2
M62 WB Off Slip	Left	2f	3	3	0	2	2	0
	Ahead	2g	2	2	0	5	5	0
	Ahead	2h	2	2	0	5	4	1
	Ahead	2i	11	7	4	7	5	2
	Ahead	2j	2	4	-2	4	4	0
South Circulatory	Ahead	2k	11	8	3	1	6	-5
	Ahead	2l	1	2	-1	7	1	6
	Ahead	2m	0	4	-4	2	5	-3
Burtonwood Rd S (NB)	Ahead Left	2n	7	7	0	6	10	-4
	Ahead	2o	7	6	1	6	8	-2
	Ahead	2p	7	6	1	6	8	-2
South West Circulatory	Ahead	2q	5	3	2	5	2	3
	Ahead	2r	3	4	-1	7	5	2
	Right	2s	0	1	-1	2	1	1
Skyline Dr Exit	Ahead	2t	3	0	3	2	0	2
	Ahead	2u	3	0	3	2	0	2
Skyline Dr	Left	2v	1	2	-1	2	2	0
	Ahead	2w	2	4	-2	3	4	-1
	Ahead	2x	2	4	-2	4	4	0
West Circulatory	Ahead	2y	4	4	0	11	7	4
	Ahead	2z	1	5	-4	2	4	-2
	Right	2aa	2	5	-3	7	5	2
M62 WB On-Slip	Ahead	2ab	2	0	2	5	0	5
	Ahead	2ac	1	0	1	2	0	2
M62 EB Off-Slip	Left	2ad	2	2	0	2	3	-1
	Ahead	2ae	3	6	-3	5	6	-1
	Ahead	2af	3	3	0	1	3	-2
North Circulatory	Ahead	2ag	2	3	-1	0	4	-4
	Ahead	2ah	7	6	1	6	7	-1
	Right	2ai	3	4	-1	2	3	-1

- 2.8.5. As shown in Table 2.6, the majority of queuing between the observed dataset and the modelled dataset is within a tolerance of 3 PCUs on most lanes on the approaches of the roundabout. The following observations have been noted in each peak period:
- 2.8.6. AM Peak
- | Where queueing discrepancies greater than 3PCUs have been noted, these occur on the circulatory carriageway. Only three lanes are shown to have lower queues than those observed. 2 of these are 4PCUS below what was observed and 1 is 5 below what was observed.
  - | The southern circulatory queueing discrepancy is a result of 3 more PCUs being allocated to the offside lane than the nearside. As these lanes are fed from the same upstream link and subject to the same green phase. As such, it is not considered necessary to adjust the circulatory flows.
  - | The remaining two queue discrepancies occur on the east and west circulatory lanes over the M62. The queue discrepancy is not considered to have an impact on the operation of the junction and could be a result of lane weaving on these long links, which is not permitted within the model.
- 2.8.7. PM Peak
- | Where queueing discrepancies greater than 3PCUs have been noted, these occur on the circulatory carriageway. Only three lanes are shown to have lower queues than those observed.
  - | The southern circulatory queueing discrepancy is a result of 5 more PCUs being allocated to the offside lane than the nearside. As these lanes are fed from the same upstream link and subject to the same green phase. With the same combined queueing over the two links as that observed, it is not considered necessary to adjust the circulatory flows.
  - | The Burtonwood Rd S (NB) approach shows a discrepancy of 4PCUs on the offside lane (Movement 2n).

## 2.9 COMMENT 10

- 2.9.1. Comment 10 from Highways England is as follows:
- | “*The source of intergreens, signal timings and cycle time in the TRANSYT model should be clarified.*”
- 2.9.2. Traffic signal detailed design drawings and signal specification forms for the existing signalised junctions have been provided by WBC and have been input into the modelling to reflect the existing scenario, where available.
- 2.9.3. Stage timings have been derived using TRANSYT, with the resultant queuing on each approach observed to ensure the level of queuing, and ergo the signal timings, reflected on-site conditions. This was considered the best approach due to the variable green times each cycle that can result as part of the MOVA signal control.
- 2.9.4. Outside the proposed works, the general configuration, phasing and staging of each junction has been assumed to remain largely unchanged. Therefore, we have used the existing signal specification data and have utilised, where applicable, existing phasing, staging and intergreen data to inform the proposed layout model and these have been revised as necessary.

## 2.10 COMMENT 11

2.10.1. Comment 11 from Highways England is as follows:

- | “*Modifications to the distribution of traffic between lanes in the TRANSYT model have been made manually and these should be explained.*”

2.10.2. Routing of traffic within the network is initially decided based on the ‘lane balancing’ allocation mode within TRANSYT. This mode allocates traffic flow to TRANSYT paths, for a given OD pair, in such a way as to ‘balance’ the flow-to-saturation-flow ratio (Y values) on the first downstream signalled part of each path that connects that OD pair. However, after reviewing the allocation of flows, some adjustments to flows were undertaken based on logical routing and lane occupancy within the model at downstream links. Much of the adjustments made were to account for no internal weaving on the circulatory carriageway within the models.

## 2.11 COMMENT 12

2.11.1. Comment 12 from Highways England is as follows:

- | “*Differences are present between the with and without mitigation models that do not appear to be connected to the mitigation, such as an additional phase delay. we would suggest model changes from the existing are noted for information and to ensure a fair / appropriate comparison.*”

2.11.2. The phase delay relates to controller stream 2 at the Southwest portion of the junction. However, the discrepancies related to Scenario 2 AM and PM in the proposed mitigation model vs the without mitigation model. This scenario is not relevant to our assessment as the mitigation only relates to Scenario 5 and is what the without mitigation option should be compared to.

## 2.12 COMMENT 13

2.12.1. Comment 13 from Highways England is as follows:

- | “*There appears to be a minor flow discrepancy between the flows provided in the report and within the model in Scenario 5 at M62 J8.*”

2.12.2. In response to the spreadsheet error which was addressed in Comment 8, we have updated the M62 Junction 8 modelling. In addressing this error, we also noticed that the HGV flows for the Mountpark and Zones 1-2 (original consent) developments had not been converted to PCUs. This has also been included within the revised modelling. This updated modelling also means that any flow discrepancies have been addressed.

2.12.3. The operation of the existing M62 Junction 8 signalled gyratory has been assessed using TRANSYT and the results of the assessment are shown in Tables 2-7 to 2-8. Where a traffic stream is indicated to operate over capacity (greater than 90% DoS for signalled junction and 85% for priority junctions), this is highlighted in red.

**Table 2-7 – M62 Junction 8 (Existing Layout) TRANSYT results**

Arm	Traffic Stream	Scenario 2 2021 AM (Base)		Scenario 2 2021 PM (Base)		Scenario 5 2021 AM + Phase 4-7 + Omega Zone 8		Scenario 5 2021 PM + Phase 4-7 + Omega Zone 8	
		DoS (%)	MMQ (PCU)	DoS (%)	MMQ (PCU)	DoS (%)	MMQ (PCU)	DoS (%)	MMQ (PCU)
J62 Junction 8									
15	1	17	0	57	13	17	0	47	4
	2	17	0	57	13	17	0	66	4
16	1	84	11	68	9	65	8	58	3
	2	87	11	86	11	90	12	78	10
	3	42	5	28	3	33	3	26	1
17	1	4	0	31	2	7	0	29	3
18	1	78	13	45	10	87	14	29	3
19	1	65	4	40	2	48	4	93	12
	2	54	4	60	4	72	5	80	6
20	1	79	9	64	4	61	5	89	11
	2	85	9	90	11	69	4	35	0
	3	40	2	22	1	24	1	58	0
21	1	47	5	24	2	29	3	66	6
	2	26	2	24	2	29	3	10	2
22	1	0	0	0	0	0	0	0	0
23	1	21	2	89	13	53	5	68	14
24	1	26	2	60	4	40	2	54	8
25	1	43	5	89	11	52	5	66	12
26	1	27	0	65	4	22	0	32	3
27	1	36	0	103	72	37	0	71	4
28	1	65	5	71	5	59	2	48	5
	2	9	1	12	2	6	1	33	2
29	1	0	0	0	0	0	0	49	0
30	1	32	2	64	7	40	4	47	5
	2	59	5	65	11	70	6	88	15
	3	44	2	70	15	58	9	13	0
31	1	81	9	28	2	48	5	54	4
32	1	60	3	75	4	48	3	84	8
33	1	35	3	48	5	33	3	52	4
34	1	24	1	37	2	19	1	26	0
35	1	26	0	49	0	28	0	0	0
36	1	59	10	57	4	63	11	75	1
	2	73	11	89	20	83	16	0	0

	3	37	4	10	2	30	3	90	15
37	1	74	7	57	4	58	5	38	5
38	1	88	10	88	8	80	9	100	24
39	1	35	3	56	4	32	3	56	0
40	1	33	2	26	0	32	0	68	7
41	1	0	0	0	0	0	0	24	2
42	1	66	2	75	10	70	1	68	7
43	1	0	0	0	0	0	0	32	0
44	1	92	17	87	14	89	15	100	40
45	2	74	7	30	4	59	4	41	3
46	1	387	445	104	35	231	281	0	0
47	1	30	0	53	0	31	0	56	0
48	1	26	2	82	9	29	2	86	10
49	1	49	4	30	2	51	4	30	2
	2	26	2	82	9	29	2	86	10
50	1	22	0	31	0	23	0	32	0
51	1	100	35	100	38	100	37	76	8
	2	6	1	50	4	11	1	76	8
52	1	0	0	0	0	0	0	0	0

2.12.4. The operation of the proposed M62 Junction 8 signalised gyratory has been assessed using TRANSYT and the results of the assessment are shown in Table 2-8.

**Table 2-8 – M62 Junction 8 (Proposed) TRANSYT results**

Arm	Traffic Stream	Scenario 5 2021 AM + Phase 4-7 + Omega Zone 8		Scenario 5 2021 PM + Phase 4-7 + Omega Zone 8	
		DoS (%)	MMQ (PCU)	DoS (%)	MMQ (PCU)
J62 Junction 8					
15	1	18	1	52	3
	2	18	1	52	3
16	1	65	8	72	9
	2	90	12	87	11
	3	33	3	39	4
17	1	29	2	46	2
18	1	48	9	30	0
	2	63	11	39	0
19	1	84	6	64	4
	2	80	6	42	4
20	1	51	3	53	4
	2	85	9	86	11
	3	24	1	26	1
21	1	58	7	39	5
	2	44	5	20	2
22	1	0	0	0	0
23	1	53	5	93	12
24	1	40	2	80	6
25	1	52	5	89	11
26	1	22	0	35	0
27	1	37	0	58	0
28	1	51	2	62	5
	2	14	1	17	2
29	1	0	0	0	0
30	1	49	7	69	11
	2	72	13	54	4
	3	58	5	65	5
31	1	48	5	32	3
32	1	48	3	71	4
33	1	33	3	48	5
34	1	19	1	33	2
35	1	32	0	50	0
36	1	63	16	47	6

	2	83	15	88	16
	3	30	2	13	0
37	1	58	5	54	4
38	1	80	9	84	8
39	1	32	3	52	4
40	1	32	0	26	0
41	1	0	0	0	0
42	1	79	7	75	1
43	1	0	0	0	0
44	1	89	16	81	10
45	2	68	8	34	4
46	1	51	0	50	0
47	1	31	0	56	0
48	1	29	2	82	9
49	1	51	4	29	2
	2	29	2	82	9
50	1	23	0	32	0
51	1	94	13	87	11
	2	94	13	87	11
52	1	0	0	0	0

- 2.12.5. While the results indicate a DOS increase to above 90% (M62 EB off-slip in the AM / Skyline Drive in the PM), the actual increase in queuing on these arms is 3 PCUs or less, therefore representing a very small change in performance. It is also worth noting that in the AM, Scenario 5 (proposed development and mitigation) provides a substantial reduction in queuing on the M62 EB off-slip arm in comparison to Scenario 2 (currently committed).
- 2.12.6. In addition to this, our assessment of Scenario 5 assumes that the Burtonwood Road Services site still has the majority of its B1 / B2 / B8 development to be constructed. As is discussed in response to Comment 6, a large amount of the site has already been built on, with far lower trip generators in the AM peak than the original consent, meaning that we have likely overestimated the future impact of this committed development on the road network. The true level of trip generation from this site is likely to represent a reduction in vehicles on the M62 Junction 8 roundabout, enabling the junction to operate within capacity in 2021 with the addition of development traffic.

## 2.13 COMMENT 14

2.13.1. Comment 14 from Highways England is as follows:

- i “The proposed mitigation scenario promotes using the two lanes available on the Skyline Drive exit. The exit merges from two lanes to one approximately 100m from the junction. Research has shown the presence of exit merges can influence upstream lane choice. We therefore suggest a sensitivity test should be undertaken with a 75/25% nearside / offside split in traffic to the Skyline Drive exit.”

2.13.2. The proposed mitigation scenario models peak conditions experienced by the roundabout. As a result, it is considered appropriate that all available lanes will be fully utilised by traffic. Furthermore, observed operation of the existing roundabout show that HGVs exiting the roundabout onto Skyline Drive stick to the nearside lane whilst the majority of cars stick to the offside lane in order to pass the slower moving vehicles. It is therefore considered that the current split of traffic appropriately reflects anticipated operation.

## 2.14 COMMENT 15

2.14.1. Comment 15 from Highways England is as follows:


- i “The TA includes a chapter outlining a Framework Travel Plan (FTP) for the proposed development, which seeks to provide a basis for how a full Travel Plan (TP) might operate upon full occupation of the development. WSP suggest that the consultant could have sought to use data from the existing operational units on the wider Omega site, which would indicate the existing mode share in the area. This would therefore allow the occupier to derive some robust SMART targets for mode shift based on existing local data and implement the appropriate measures to encourage positive travel behaviours early in the new developments operation”


2.14.2. The FTP sets out a range of measures and incentives which will be adopted at the developments to promote accessibility by sustainable modes. It is considered that the development of the site will build on the excellent sustainable travel initiative, including the bespoke Omega bus service and comprehensive pedestrian and cycle networks that are currently provided within Omega.

# Appendix A

NETWORK DIAGRAMS







# **Appendix B**

**JUNCTION MODELLING OUTPUT  
FILES**



# TRANSYT 15

Version: 15.5.2.7994

© Copyright TRL Limited, 2018

For sales and distribution information, program advice and maintenance, contact TRL:  
+44 (0)1344 379777 software@trl.co.uk www.trlsoftware.co.uk

**The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution**

**Filename:** Junction 8 M62\_HE Response FOR ISSUE.t15

**Path:** M:\50400134 - Omega, Warrington\Omegamega, Warrington\ANALYSIS\Zone 8 Directory\TRANSYT

**Report generation date:** 13/03/2020 15:57:13

---

- »A1 - 2019 AM Surveyed : D1 - 2019 AM Surveyed\* :
- »A2 - 2019 PM Surveyed : D2 - 2019 PM Surveyed\* :
- »A3 - 2021 AM Scenario 2 : D3 - 2021 AM Scenario 2\* :
- »A4 - 2021 PM Scenario 2 : D4 - 2021 PM Scenario 2\* :
- »A7 - 2021 AM Scenario 5 : D7 - 2021 AM Scenario 5\* :
- »A8 - 2021 PM Scenario 5 : D8 - 2021 PM Scenario 5\* :

# A1 - 2019 AM Surveyed

## D1 - 2019 AM Surveyed\*

### Signal Timings

Network Default: 70s cycle time; 70 steps

#### Intergreen Matrix for Controller Stream 1

	To					
	A	B	C	D	E	F
A		6		0		
B			5	5		
C	6	6				6
D		11				
E	8					
F		5				

#### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
1	1	Ü	1	B,F,A	43	9	36	1	7
	2	Ü	2	A,D,F	14	15	1	1	1
	3	Ü	3	C,D,E	21	32	11	1	7

#### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
1	1	1	1	B	43	9	36
3	2	1	1	B	43	9	36
4	1	1	1	B	43	9	36
5	1	1	1	C	21	32	11
6	1	1	1	C	21	32	11
7	1	1	1	C	21	32	11

	H			13	13			
I							6	
J					9			

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
2	1	Ü	4	C,E,H,I	24	25	1	1	1
	2	Ü	5	D,E,H,I	30	48	18	1	7
	3	Ü	6	C,F,J	62	9	17	1	6
	4	Ü	7	C,F,G,I	18	19	1	1	1

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
16	1	2	2	D	30	48	18
16	2	2	2	D	30	48	18
16	3	2	2	D	30	48	18
17	1	2	2	C	53	25	42
19	1	2	2	C	53	25	42
19	2	2	2	C	53	25	42
20	1	3	2	E	24	56	32
20	2	3	2	E	24	56	32
20	3	3	2	E	24	56	32
23	1	3	2	F	61	19	28
24	1	3	2	G	9	19	10
25	1	3	2	F	61	19	28
28	1	3	2	I	18	56	38
28	2	3	2	I	18	56	38

### Phase Timings Diagram for Controller Stream 2


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
21	1	4	3	K	57	37	120
21	2	4	3	K	57	37	120

### Phase Timings Diagram for Controller Stream 3




### Stage Sequence Diagram for Controller Stream 3



### Intergreen Matrix for Controller Stream 4

From	To		
	A	B	E
A	5		
B	5		5



### Intergreen Matrix for Controller Stream 5

To		
	C	D
From	C	5
	D	5

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
5	1	Ü	1	C	31	4	43	1	7
	2	Ü	2	D	9	26	17	1	7

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
36	1	6	5	C	31	4	43
36	2	6	5	C	31	4	43
36	3	6	5	C	31	4	43
37	1	6	5	D	9	26	17
38	1	6	5	D	9	26	17
39	1	6	5	D	9	26	17

### Phase Timings Diagram for Controller Stream 5


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
44	1	7	6	A	23	60	37
45	2	7	6	A	23	60	37
48	1	7	6	B	66	18	22
49	1	7	6	B	66	18	22
49	2	7	6	B	66	18	22
51	1	7	6	B	66	18	22
51	2	7	6	B	66	18	22

### Phase Timings Diagram for Controller Stream 6



### Stage Sequence Diagram for Controller Stream 6



5	1	Charon Way Left	1	1	C	8	1995	11	11.00	2	3748	26.59	24.57	81.35	0.13	100	100	0.00	0.86
6	1	Charon Way Right	1	1	C	138	1842	11	0.09	44	104	32.58	30.53	92.02	2.47	100	100	0.00	18.2 1
7	1	Charon Way Right	1	1	C	136	1819	11	0.00	44	106	43.44	30.42	91.95	2.43	100	100	0.00	17.8 9
8	1	Charon Way	1			146	1653	70	0.00	9	919	11.28	0.11	0.00	0.00	100	100	0.00	0.06
10	1	Charon Way	1			282	1962	70	0.00	14	526	5.24	0.15	0.00	0.01	100	100	0.00	0.17
11	1	Burtonwood Road South	1			523	2120	70	0.00	25	265	2.85	0.28	0.00	0.04	100	100	0.00	0.57
12	1	Burtonwood Road South	1			248	1980	70	38.00	13	620	4.85	0.13	0.00	0.01	100	100	0.00	0.13
13	1		1			248	Unrestrict ed	70	38.00	0	Unrestrict ed	10.75	0.00	0.00	0.00	100	100	0.00	0.00
14	1					256	Unrestrict ed	70	37.00	0	Unrestrict ed	7.24	0.00	0.00	0.00	100	100	0.00	0.00
	1	Omega Road North	1			248	1934	70	18.00	13	603	15.46	0.14	0.00	0.01	100	100	0.00	0.13
15	2	Burtonwood Road North	1			248	1937	70	18.00	13	604	15.83	0.14	0.00	0.01	100	100	0.00	0.13
	1		2	2	D	350	1900	18	0.00	68	33	36.77	30.15	92.27	6.53	100	100	0.00	45.6 8
16	2		2	2	D	350	1900	18	0.63	70	28	38.08	31.40	93.83	6.64	100	100	0.00	47.4 7
	3		2	2	D	350	1900	18	0.63	70	28	38.14	31.40	93.83	6.64	100	100	0.00	47.4 7
17	1		2	2	C	132	1900	42	23.00	11	696	12.89	1.65	5.99	0.15	100	100	0.00	0.96
18	1		2			1006	1900	70	25.59	68	32	12.81	4.65	27.45	6.57	100	100	0.27	22.1 8
	1		2	2	C	403	1900	42	8.00	34	161	7.19	3.35	15.23	1.26	100	100	0.00	6.08
19	2		2	2	C	604	1900	42	5.00	52	74	10.77	7.16	34.19	4.01	100	100	0.00	19.6 2
	1		3	2	E	511	1900	32	6.37	58	56	21.88	15.82	43.62	4.74	100	100	8.45	43.1 4
20	2		3	2	E	482	1900	32	6.21	54	66	11.45	5.43	28.49	2.67	100	100	0.00	12.0 4
	3		3	2	E	350	1900	32	14.00	39	130	7.42	1.29	0.00	0.13	100	100	0.00	1.78


42	1		7			1113	1900	70	13.00	59	54	9.34	1.34	0.00	0.41	100	100	0.00	5.87
43	1					370	Unrestricted	70	47.00	0	Unrestricted	10.74	0.00	0.00	0.00	100	100	0.00	0.00
44	1		7	6	A	743	1900	37	4.00	72	25	17.02	7.14	26.10	11.07	100	100	0.00	23.37
45	2		7	6	A	494	1900	37	5.05	48	88	20.64	3.12	7.70	1.67	100	100	0.00	6.56
46	1		7			644	1900	70	0.00	34	166	8.32	0.49	0.00	0.09	100	100	0.00	1.23
47	1		7			406	1900	70	0.00	21	321	4.19	0.26	0.00	0.03	100	100	0.00	0.41
48	1		7	6	B	107	1900	22	0.11	17	423	40.60	17.38	68.91	1.49	100	100	0.00	8.26
49	1		7	6	B	192	1900	22	0.26	31	189	26.14	18.99	71.87	2.68	100	100	0.00	16.11
	2		7	6	B	107	1900	22	0.11	17	423	24.61	17.38	68.91	1.49	100	100	0.00	8.26
50	1		7			299	1900	70	0.00	16	472	16.06	0.18	0.00	0.01	100	100	0.00	0.21
51	1		7	6	B	512	1900	22	0.95	86	5	57.96	38.61	105.91	11.07	100	100	0.00	84.78
	2		7	6	B	132	1900	22	0.16	21	323	37.32	17.83	71.12	1.83	100	100	0.00	10.46
52	1					654	Unrestricted	70	13.00	0	Unrestricted	19.45	0.00	0.00	0.00	100	100	0.00	0.00
53	1		1			391	1900	70	21.00	21	337	1.25	0.25	0.00	0.03	100	100	0.00	0.38
	2		1			339	1900	70	21.00	18	404	1.21	0.21	0.00	0.02	100	100	0.00	0.28
	3		1			320	1900	70	21.00	17	434	1.19	0.19	0.00	0.02	100	100	0.00	0.24
54	1		1	1	A	248 <	1980	45	14.09	19	372	3.17	2.17	12.82	1.23 +	100	100	0.00	2.39
	2		1	1	A	248 <	1980	45	14.09	19	372	3.17	2.17	12.82	1.23 +	100	100	0.00	2.39

## Network Results


	Distance travelled (PCU-km/hr)	Time spent (PCU-hr/hr)	Mean journey speed (kph)	Total delay (PCU-hr/hr)	Weighted cost of delay (£ per hr)	Weighted cost of stops (£ per hr)	Excess queue penalty (£ per hr)	Performance Index (£ per hr)
Normal traffic	2278.78	124.46	18.31	48.43	687.77	79.63	8.72	776.12
Bus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tram	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pedestrians	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>TOTAL</b>	<b>2278.78</b>	<b>124.46</b>	<b>18.31</b>	<b>48.43</b>	<b>687.77</b>	<b>79.63</b>	<b>8.72</b>	<b>776.12</b>

- < = adjusted flow warning (upstream links/traffic streams are over-saturated)
- \* = Traffic Stream - Normal, Bus or Tram Stop or Delay weighting has been set to a value other than 100%
- ^ = Traffic Stream - Normal, Bus or Tram Stop or Delay Path weighting has been set to a value other than 100%
- + = average link/traffic stream excess queue is greater than 0





**Stage Sequence Diagram for Controller Stream 2**



**Intergreen Matrix for Controller Stream 3**

To			
		K	L
From	K		6
	L	8	

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
3	1	Ü	1	K	45	25	120	1	7
	2	Ü	2	L	31	37	6	1	6

	E	12	
--	---	----	--


### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
4	1	Ü	1	A,E	8	33	25	1	7
	2	Ü	2	B	45	3	28	1	7


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
30	1	5	4	A	8	40	32
30	2	5	4	A	8	40	32
30	3	5	4	A	8	40	32
31	1	5	4	B	45	3	28
32	1	5	4	B	45	3	28
34	1	5	4	B	45	3	28


### Phase Timings Diagram for Controller Stream 4



### Stage Sequence Diagram for Controller Stream 4



**Stage Sequence Diagram for Controller Stream 5**



**Intergreen Matrix for Controller Stream 6**

		To	
		A	B
From	A		6
	B	5	

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
6	1	Ü	1	A	14	47	33	1	7
	2	Ü	2	B	53	9	26	1	7

## Final Prediction Table

### Traffic Stream Results

				SIGNS		FLOWS		PERFORMANCE				PER PCU			QUEUE S	WEIGHTS		PENALTIES	P.I.
Arm	Traffic Stream	Name	Traffic node	Controller stream	Phase	Calculated flow entering (PCU/hr)	Calculated sat flow (PCU/hr)	Actual green (s (per cycle))	Wasted time total (s (per cycle))	Degree of saturation (%)	Practical reserve capacity (%)	JourneyTime (s)	Mean Delay per Veh (s)	Mean stops per Veh (%)	Mean max queue (PCU)	Delay weighting multiplier (%)	Stop weighting multiplier (%)	Cost of traffic penalties (£ per hr)	P.I.
RA	1		R3			969	2312	70	8.00	42	115	12.56	0.56	0.00	0.15	100	100	0.00	2.14
RAc	1		R3			17	Unrestricted	70	70.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RAx	1					682	1800	70	0.00	38	138	12.61	0.61	0.00	0.12	100	100	0.00	1.64
RB	1		R4			179	1126	70	0.00	16	466	12.30	0.30	0.00	0.02	100	100	0.00	0.21
RBc	1		R4			862	Unrestricted	70	8.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RBx	1					124	Unrestricted	70	30.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RC	1		R1			475	1623	70	0.00	29	207	12.46	0.46	0.00	0.06	100	100	0.00	0.86
RCc	1		R1			158	Unrestricted	70	0.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RCx	1					883	Unrestricted	70	8.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RD	1		R2			67	878	70	0.00	8	1080	12.17	0.17	0.00	0.00	100	100	0.00	0.04
RDc	1		R2			632	Unrestricted	70	0.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RDx	1					1	Unrestricted	70	70.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
1	1	Burtonwood Road South	1	1	B	141	1980	28	0.27	17	419	21.96	13.51	62.07	1.70	100	100	0.00	8.61
2	1	Burtonwood Road South	1			433	1980	70	0.00	22	312	4.30	0.25	0.00	0.03	100	100	0.00	0.43
3	2	Burtonwood Road South	1	1	B	151	2120	28	0.45	17	415	19.54	13.56	62.06	1.82	100	100	0.00	9.25
4	1	Burtonwood Road South	1	1	B	141	1975	28	0.27	17	417	19.67	13.52	62.09	1.70	100	100	0.00	8.61

<b>21</b>	<b>1</b>		4	3	K	286	1900	120	4.21	18	399	7.83	2.14	15.02	1.69	100	100	0.00	2.95
	<b>2</b>		4	3	K	286	1900	120	4.21	18	399	8.18	2.14	15.02	1.69	100	100	0.00	2.95
<b>22</b>	<b>1</b>					572	Unrestricte d	140	19.00	0	Unrestricte d	7.28	0.00	0.00	0.00	100	100	0.00	0.00
<b>23</b>	<b>1</b>		3	2	F	250	1900	24	0.37	37	141	27.27	18.41	72.27	3.51	100	100	0.00	20.4 2
<b>24</b>	<b>1</b>		3	2	G	118	1900	17	0.00	24	273	27.55	21.79	78.81	1.81	100	100	0.00	11.3 1
<b>25</b>	<b>1</b>		3	2	F	248	1900	24	0.00	37	146	24.69	18.20	72.17	3.48	100	100	0.00	20.0 5
<b>26</b>	<b>1</b>		3			366	1900	70	0.00	19	367	2.56	0.23	0.00	0.02	100	100	0.00	0.33
<b>27</b>	<b>1</b>		3			616	1900	70	0.00	32	178	5.34	0.45	0.00	0.08	100	100	0.00	1.10
<b>28</b>	<b>1</b>		3	2	I	553	1900	49	27.86	45	99	7.08	2.73	22.63	4.54	100	100	0.00	7.53
	<b>2</b>		3	2	I	111	1900	49	33.11	9	954	7.66	2.97	46.14	1.45	100	100	0.00	1.94
<b>29</b>	<b>1</b>					664	Unrestricte d	70	35.00	0	Unrestricte d	10.40	0.00	0.00	0.00	100	100	0.00	0.00
	<b>1</b>		5	4	A	669	1900	32	2.95	77	17	28.22	15.35	67.01	11.46	100	100	0.00	46.1 3
<b>30</b>	<b>2</b>		5	4	A	171	1900	32	16.21	19	368	26.84	14.06	59.44	1.96	100	100	0.00	10.7 6
	<b>3</b>		5	4	A	620	1900	32	8.63	71	28	30.46	17.76	59.56	7.10	100	100	0.00	48.0 6
<b>31</b>	<b>1</b>		5	4	B	84	1900	28	0.11	11	740	26.61	12.87	58.96	1.46	100	100	0.00	4.89
<b>32</b>	<b>1</b>		5	4	B	261 <	1900	28	0.32	34	168	17.47	14.97	62.60	3.04 +	100	100	0.00	17.4 6
<b>33</b>	<b>1</b>		5			435	1900	70	5.84	25	260	11.68	0.61	8.09	1.49	100	100	0.00	1.49
<b>34</b>	<b>1</b>		5	4	B	174	1900	28	1.16	22	305	16.23	13.83	59.45	2.00	100	100	0.00	10.7 9
<b>35</b>	<b>1</b>		6			843	1900	70	12.40	47	90	22.27	1.72	11.33	11.81	100	100	0.00	6.91
	<b>1</b>		6	5	C	171	1900	44	28.00	14	543	13.78	0.24	0.00	0.01	100	100	0.00	0.16
<b>36</b>	<b>2</b>		6	5	C	881	1900	44	9.53	73	23	22.55	9.62	34.82	5.98	100	100	0.00	37.2 6
	<b>3</b>		6	5	C	84	1900	44	38.16	7	1204	29.69	17.26	92.74	1.52	100	100	0.00	6.70
<b>37</b>	<b>1</b>		6	5	D	179	1900	16	0.26	39	128	35.11	24.85	82.20	2.86	100	100	0.00	19.3 9
<b>38</b>	<b>1</b>		6	5	D	258	1900	16	0.42	57	57	35.99	28.75	91.75	4.61	100	100	0.00	32.2 2
<b>39</b>	<b>1</b>		6	5	D	187	1900	16	0.32	41	118	32.35	25.18	85.37	3.11	100	100	0.00	20.5 8
<b>40</b>	<b>1</b>		6			445	1900	70	0.00	23	284	3.15	0.29	0.00	0.04	100	100	0.00	0.51

- < = adjusted flow warning (upstream links/traffic streams are over-saturated)
- \* = Traffic Stream - Normal, Bus or Tram Stop or Delay weighting has been set to a value other than 100%
- ^ = Traffic Stream - Normal, Bus or Tram Stop or Delay Path weighting has been set to a value other than 100%
- + = average link/traffic stream excess queue is greater than 0
- P.I. = PERFORMANCE INDEX

## A3 - 2021 AM Scenario 2 D3 - 2021 AM Scenario 2\*

### Signal Timings

Network Default: 70s cycle time; 70 steps

#### Intergreen Matrix for Controller Stream 1

	To					
	A	B	C	D	E	F
A		6		0		
B		5	5			
C	6	6				6
D		11				
E	8					
F		5				

#### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
1	1	Ü	1	B,F,A	25	61	36	1	7
	2	Ü	2	A,D,F	66	67	1	1	1
	3	Ü	3	C,D,E	3	14	11	1	7

#### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1

	To								
	C	D	E	F	G	H	I	J	
From	C	5							
	D	5							
	E		5	5					
	F		5		5				
	G		5		5				
	H			13	13				
	I						6		
	J					9			

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
2	1	Ü	4	C,E,H,I	2	7	5	1	1
	2	Ü	5	D,E,H,I	12	23	11	1	1
	3	Ü	6	C,F,J	45	50	5	1	1
	4	Ü	7	C,F,G,I	59	67	8	1	1

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
16	1	2	2	D	12	40	28
16	2	2	2	D	12	40	28
16	3	2	2	D	12	40	28
17	1	2	2	C	45	7	32
19	1	2	2	C	45	7	32
19	2	2	2	C	45	7	32
20	1	3	2	E	2	31	29
20	2	3	2	E	2	31	29
20	3	3	2	E	2	31	29
23	1	3	2	F	36	67	31
24	1	3	2	G	50	67	17
25	1	3	2	F	36	67	31
28	1	3	2	I	59	31	42
28	2	3	2	I	59	31	42

	3	Ü	1	K	19	138	119	1	1
--	---	---	---	---	----	-----	-----	---	---


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
21	1	4	3	K	19	139	120
21	2	4	3	K	19	139	120

### Phase Timings Diagram for Controller Stream 3




### Stage Sequence Diagram for Controller Stream 3



### Intergreen Matrix for Controller Stream 4

	To
--	----



### Intergreen Matrix for Controller Stream 5

		To	
		C	D
From	C	5	
	D	5	

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
5	1	Ü	1	C	34	6	42	1	7
	2	Ü	2	D	11	29	18	1	7

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
36	1	6	5	C	34	6	42
36	2	6	5	C	34	6	42
36	3	6	5	C	34	6	42
37	1	6	5	D	11	29	18
38	1	6	5	D	11	29	18
39	1	6	5	D	11	29	18

### Phase Timings Diagram for Controller Stream 5


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
44	1	7	6	A	1	40	39
45	2	7	6	A	1	40	39
48	1	7	6	B	46	66	20
49	1	7	6	B	46	66	20
49	2	7	6	B	46	66	20
51	1	7	6	B	46	66	20
51	2	7	6	B	46	66	20

### Phase Timings Diagram for Controller Stream 6



### Stage Sequence Diagram for Controller Stream 6



4	1	Burtonwood Road South	1	1	B	421	1975	36	0.89	41	118	17.55	11.40	57.48	4.71	100	100	0.00	21.96
5	1	Charon Way Left	1	1	C	17	1995	11	11.00	5	1711	26.74	24.72	81.56	0.28	100	100	0.00	1.83
6	1	Charon Way Right	1	1	C	173 <	1842	11	0.14	55	62	35.68	33.63	95.13	3.21 +	100	100	0.00	25.01
7	1	Charon Way Right	1	1	C	170	1819	11	0.00	55	65	46.36	33.34	96.57	3.27	100	100	0.00	24.42
8	1	Charon Way	1			190	1653	70	2.86	12	651	11.38	0.20	2.82	1.46	100	100	0.00	0.22
10	1	Charon Way	1			360	1962	70	0.00	18	391	5.29	0.21	0.00	0.02	100	100	0.00	0.29
11	1	Burtonwood Road South	1			873	2120	70	0.00	41	119	3.16	0.59	0.00	0.14	100	100	0.00	2.05
12	1	Burtonwood Road South	1			328	1980	70	32.00	17	442	4.91	0.18	0.00	0.02	100	100	0.00	0.23
13	1		1			328	Unrestrict ed	70	32.00	0	Unrestrict ed	10.75	0.00	0.00	0.00	100	100	0.00	0.00
14	1					345	Unrestrict ed	70	31.00	0	Unrestrict ed	7.24	0.00	0.00	0.00	100	100	0.00	0.00
15	1	Omega Road North	1			330	1934	70	12.00	17	428	15.52	0.19	0.00	0.02	100	100	0.00	0.25
	2	Burtonwood Road North	1			330	1937	70	12.00	17	429	15.88	0.19	0.00	0.02	100	100	0.00	0.25
16	1		2	2	D	658 <	1900	28	0.00	84	8	36.51	29.90	83.23	10.73 +	100	100	0.00	84.47
	2		2	2	D	657 <	1900	28	1.21	87	3	40.59	33.92	88.33	11.43 +	100	100	0.00	95.17
	3		2	2	D	328	1900	28	0.47	42	112	23.12	16.39	66.84	4.51	100	100	0.00	23.95
17	1		2	2	C	35	1900	32	28.00	4	2196	11.32	0.08	0.00	0.00	100	100	0.00	0.01
18	1		2			1064 <	1900	70	28.07	78	15	21.49	13.32	64.84	12.92 +	100	100	145.07	209.60
19	1		2	2	C	580	1900	32	0.00	65	39	16.16	12.31	36.27	4.10	100	100	0.00	30.81
	2		2	2	C	483	1900	32	9.00	54	67	16.83	13.22	42.12	3.96	100	100	0.00	27.76
20	1		3	2	E	621 <	1900	29	1.01	79	14	31.33	25.28	75.52	9.07 +	100	100	108.59	176.39
	2		3	2	E	692 <	1900	29	3.00	85	6	35.85	29.84	65.36	8.74 +	100	100	169.66	256.78
	3		3	2	E	328	1900	29	13.11	40	123	14.90	8.77	23.56	1.59	100	100	0.00	12.31
21	1		4	3	K	703	1900	120	11.58	47	90	10.66	4.98	19.68	5.44	100	100	10.54	26.08
	2		4	3	K	398	1900	120	7.89	26	247	8.76	2.72	15.29	2.37	100	100	0.00	5.04


48	1			7	6	B	148	1900	20	0.21	26	243	43.06	19.84	74.47	2.14	100	100	0.00	12.96
49	1			7	6	B	272	1900	20	0.42	49	85	30.40	23.25	80.02	4.23	100	100	0.00	27.68
	2			7	6	B	148	1900	20	0.21	26	243	27.07	19.84	74.47	2.14	100	100	0.00	12.96
50	1			7			420	1900	70	0.00	22	307	16.16	0.27	0.00	0.03	100	100	0.00	0.45
51	1			7	6	B	272 <	1900	20	10.99	100	-10	432.23	412.88	509.3 1	35.31 +	100	100	0.00	459.68
	2			7	6	B	35	1900	20	16.05	6	1357	27.54	8.05	71.02	1.45	100	100	0.00	1.43
52	1						904	Unrestricte d	70	10.00	0	Unrestricte d	19.45	0.00	0.00	0.00	100	100	0.00	0.00
53	1			1			595	1900	70	21.00	31	187	1.43	0.43	0.00	0.07	100	100	0.00	1.01
	2			1			537	1900	70	21.00	28	218	1.37	0.37	0.00	0.06	100	100	0.00	0.79
	3			1			506	1900	70	21.00	27	238	1.34	0.34	0.00	0.05	100	100	0.00	0.69
54	1			1	1	A	328 <	1980	45	8.18	25	255	3.43	2.43	16.82	1.25 +	100	100	0.00	3.64
	2			1	1	A	328 <	1980	45	8.18	25	255	3.43	2.43	16.82	1.25 +	100	100	0.00	3.64

## Network Results


	Distance travelled (PCU-km/hr)	Time spent (PCU- hr/hr)	Mean journey speed (kph)	Total delay (PCU- hr/hr)	Weighted cost of delay (£ per hr)	Weighted cost of stops (£ per hr)	Excess queue penalty (£ per hr)	Performance Index (£ per hr)
Normal traffic	2788.03	654.17	4.26	561.13	7968.12	180.72	456.45	8605.28
Bus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tram	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pedestrians	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>TOTAL</b>	<b>2788.03</b>	<b>654.17</b>	<b>4.26</b>	<b>561.13</b>	<b>7968.12</b>	<b>180.72</b>	<b>456.45</b>	<b>8605.28</b>

- < = adjusted flow warning (upstream links/traffic streams are over-saturated)
- \* = Traffic Stream - Normal, Bus or Tram Stop or Delay weighting has been set to a value other than 100%
- ^ = Traffic Stream - Normal, Bus or Tram Stop or Delay Path weighting has been set to a value other than 100%
- + = average link/traffic stream excess queue is greater than 0
- P.I. = PERFORMANCE INDEX

**A4 - 2021 PM Scenario 2**  
**D4 - 2021 PM Scenario 2\***




**Stage Sequence Diagram for Controller Stream 1**




**Intergreen Matrix for Controller Stream 2**

	To							
	C	D	E	F	G	H	I	J
C		5						
D	5							
E			5	5				
F			5		5			
G			5		5			
H			13	13				
I							6	
J						9		



**Stage Sequence Diagram for Controller Stream 2**



**Intergreen Matrix for Controller Stream 3**

		To		
		K	L	
From	K	6		
	L	8		

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
3	1	Ü	1	K	83	84	1	1	1
	2	Ü	2	L	90	96	6	1	6
	3	Ü	1	K	104	83	119	1	1

	E	12	
--	---	----	--


### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
4	1	Ü	1	A,E	44	10	36	1	7
	2	Ü	2	B	22	39	17	1	7


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
30	1	5	4	A	44	17	43
30	2	5	4	A	44	17	43
30	3	5	4	A	44	17	43
31	1	5	4	B	22	39	17
32	1	5	4	B	22	39	17
34	1	5	4	B	22	39	17


### Phase Timings Diagram for Controller Stream 4



### Stage Sequence Diagram for Controller Stream 4



**Stage Sequence Diagram for Controller Stream 5**



**Intergreen Matrix for Controller Stream 6**

		To	
		A	B
From	A	6	
	B	5	

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
6	1	Ü	1	A	40	10	40	1	7
	2	Ü	2	B	16	35	19	1	7

## Final Prediction Table

### Traffic Stream Results

				SIGNALS		FLOWS		PERFORMANCE				PER PCU			QUEUE S	WEIGHTS		PENALTIES	P.I.
Arm	Traffic Stream	Name	Traffic node	Controller stream	Phase	Calculated flow entering (PCU/hr)	Calculated sat flow (PCU/hr)	Actual green (s (per cycle))	Wasted time total (s (per cycle))	Degree of saturation (%)	Practical reserve capacity (%)	JourneyTime (s)	Mean Delay per Veh (s)	Mean stops per Veh (%)	Mean max queue (PCU)	Delay weighting multiplier (%)	Stop weighting multiplier (%)	Cost of traffic penalties (£ per hr)	P.I.
RA	1		R3			933	2312	70	15.00	40	123	12.53	0.53	0.00	0.14	100	100	0.00	1.94
RAc	1		R3			17	Unrestricted	70	70.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RAx	1					682	1800	70	0.00	38	138	12.61	0.61	0.00	0.12	100	100	0.00	1.64
RB	1		R4			179	1146	70	0.00	16	476	12.29	0.29	0.00	0.01	100	100	0.00	0.21
RBc	1		R4			830	Unrestricted	70	15.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RBx	1					120	Unrestricted	70	17.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RC	1		R1			475	1623	70	0.00	29	207	12.46	0.46	0.00	0.06	100	100	0.00	0.86
RCc	1		R1			158	Unrestricted	70	0.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RCx	1					852	Unrestricted	70	15.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RD	1		R2			67	878	70	0.00	8	1080	12.17	0.17	0.00	0.00	100	100	0.00	0.04
RDc	1		R2			632	Unrestricted	70	0.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RDx	1					1	Unrestricted	70	70.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
1	1	Burtonwood Road South	1	1	B	208	1980	28	0.45	26	249	22.81	14.36	62.53	2.53	100	100	0.00	13.41
2	1	Burtonwood Road South	1			639	1980	70	0.00	32	179	4.48	0.43	0.00	0.08	100	100	0.00	1.09
3	2	Burtonwood Road South	1	1	B	223	2120	28	0.75	26	245	20.44	14.45	65.32	2.83	100	100	0.00	14.54

22	1					742	Unrestrictecd	140	19.00	0	Unrestrictecd	7.28	0.00	0.00	0.00	100	100	0.00	0.00
23	1		3	2	F	529	1900	22	1.00	89	2	59.34	50.48	119.82	12.54	100	100	0.00	113.25
24	1		3	2	G	275	1900	16	0.00	60	51	38.60	32.84	80.16	4.30	100	100	0.00	38.41
25	1		3	2	F	558 <	1900	22	0.00	89	1	54.19	47.69	102.54	11.36 +	100	100	0.00	112.09
26	1		3			833 <	1900	70	22.91	65	38	8.62	6.29	21.61	3.50 +	100	100	0.00	22.91
27	1		3			1362 <	1900	70	17.38	103	-12	178.68	173.80	109.70	71.94 +	100	100	0.00	952.23
28	1		3	2	I	810	1900	47	13.80	71	27	12.55	8.20	30.04	4.74	100	100	0.00	29.24
	2		3	2	I	138	1900	47	41.26	12	659	9.26	4.57	63.56	1.89	100	100	0.00	3.57
29	1					947	Unrestrictecd	70	30.00	0	Unrestrictecd	10.40	0.00	0.00	0.00	100	100	0.00	0.00
30	1		5	4	A	759	1900	43	5.63	64	40	21.61	8.74	42.71	6.54	100	100	0.00	30.23
	2		5	4	A	753	1900	43	11.16	65	39	27.37	14.59	76.74	11.27	100	100	0.00	50.60
	3		5	4	A	766	1900	43	10.57	70	29	26.84	14.14	91.70	15.29	100	100	1.63	53.15
31	1		5	4	B	134	1900	17	0.21	28	224	36.05	22.31	79.17	2.06	100	100	0.00	13.12
32	1		5	4	B	358 <	1900	17	0.32	75	21	30.63	28.13	59.42	4.06 +	100	100	0.00	42.39
33	1		5			537	1900	70	37.00	48	88	20.46	9.39	51.38	5.37	100	100	0.00	23.36
34	1		5	4	B	179	1900	17	2.11	37	144	21.28	18.88	46.06	1.60	100	100	0.00	14.36
35	1		6			938	1900	70	15.00	49	82	21.48	0.92	0.00	0.24	100	100	0.00	3.41
36	1		6	5	C	753	1900	48	19.32	57	58	18.74	5.21	24.77	3.63	100	100	0.00	17.81
	2		6	5	C	1124 <	1900	48	7.28	89	2	30.25	17.31	71.68	19.60 +	100	100	102.44	189.27
	3		6	5	C	134	1900	48	35.21	10	789	15.92	3.50	80.08	2.19	100	100	0.00	3.19
37	1		6	5	D	196	1900	12	0.32	57	58	43.12	32.87	96.65	3.69	100	100	0.00	27.79
38	1		6	5	D	297 <	1900	12	0.58	88	2	68.49	61.25	135.63	8.30 +	100	100	0.00	76.80
39	1		6	5	D	193	1900	12	0.32	56	61	39.76	32.59	97.28	3.74	100	100	0.00	27.17
40	1		6			490	1900	70	0.00	26	249	3.19	0.33	0.00	0.04	100	100	0.00	0.64
41	1					946	Unrestrictecd	70	27.00	0	Unrestrictecd	18.23	0.00	0.00	0.00	100	100	0.00	0.00
42	1		7			1421	1900	70	13.28	75	20	10.85	2.85	4.13	9.82	100	100	15.35	32.06
43	1					452	Unrestrictecd	70	39.00	0	Unrestrictecd	10.74	0.00	0.00	0.00	100	100	0.00	0.00
44	1		7	6	A	969 <	1900	40	0.00	87	3	29.65	19.77	70.01	14.40 +	100	100	11.38	95.44
45	2		7	6	A	330	1900	40	16.37	30	201	19.32	1.81	37.05	4.47	100	100	0.00	3.88

# A7 - 2021 AM Scenario 5

## D7 - 2021 AM Scenario 5\*

### Signal Timings

Network Default: 70s cycle time; 70 steps

**Intergreen Matrix for Controller Stream 1**

		To					
		A	B	C	D	E	F
From	A		6		0		
	B			5	5		
	C	6	6				6
	D		11				
	E	8					
	F		5				

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
1	1	Ü	1	B,F,A	60	27	37	1	7
	2	Ü	2	A,D,F	32	33	1	1	1
	3	Ü	3	C,D,E	39	49	10	1	7

### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
1	1	1	1	B	60	27	37
3	2	1	1	B	60	27	37
4	1	1	1	B	60	27	37
5	1	1	1	C	39	49	10
6	1	1	1	C	39	49	10
7	1	1	1	C	39	49	10

	H			13	13				
I								6	
J						9			

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
2	1	Ü	4	C,E,H,I	25	34	9	1	1
	2	Ü	5	D,E,H,I	39	58	19	1	1
	3	Ü	6	C,F,J	4	8	4	1	4
	4	Ü	7	C,F,G,I	17	20	3	1	1

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
16	1	2	2	D	39	69	30
16	2	2	2	D	39	69	30
16	3	2	2	D	39	69	30
17	1	2	2	C	4	34	30
19	1	2	2	C	4	34	30
19	2	2	2	C	4	34	30
20	1	3	2	E	25	66	41
20	2	3	2	E	25	66	41
20	3	3	2	E	25	66	41
23	1	3	2	F	1	20	19
24	1	3	2	G	8	20	12
25	1	3	2	F	1	20	19
28	1	3	2	I	17	66	49
28	2	3	2	I	17	66	49

### Phase Timings Diagram for Controller Stream 2


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
21	1	4	3	K	72	52	120
21	2	4	3	K	72	52	120

### Phase Timings Diagram for Controller Stream 3




### Stage Sequence Diagram for Controller Stream 3



### Intergreen Matrix for Controller Stream 4

		To		
		A	B	E
From	A	5		
	B	5	5	



### Intergreen Matrix for Controller Stream 5

		To	
		C	D
From	C	5	
	D	5	

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
5	1	Ü	1	C	68	38	40	1	7
	2	Ü	2	D	43	63	20	1	7

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
36	1	6	5	C	68	38	40
36	2	6	5	C	68	38	40
36	3	6	5	C	68	38	40
37	1	6	5	D	43	63	20
38	1	6	5	D	43	63	20
39	1	6	5	D	43	63	20

### Phase Timings Diagram for Controller Stream 5


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
44	1	7	6	A	36	6	40
45	2	7	6	A	36	6	40
48	1	7	6	B	12	31	19
49	1	7	6	B	12	31	19
49	2	7	6	B	12	31	19
51	1	7	6	B	12	31	19
51	2	7	6	B	12	31	19

### Phase Timings Diagram for Controller Stream 6



### Stage Sequence Diagram for Controller Stream 6



4	1	Burtonwood Road South	1	1	B	395	1975	37	0.71	38	140	16.55	10.40	55.73	4.28	100	100	0.00	18.96
5	1	Charon Way Left	1	1	C	17	1995	10	10.00	5	1560	27.63	25.61	83.07	0.28	100	100	0.00	1.89
6	1	Charon Way Right	1	1	C	164 <	1842	10	0.11	57	57	37.71	35.65	98.64	3.16 +	100	100	0.00	25.09
7	1	Charon Way Right	1	1	C	162	1819	10	0.00	57	59	48.44	35.42	98.41	3.11	100	100	0.00	24.63
8	1	Charon Way	1			181	1653	70	0.91	11	711	11.32	0.14	0.40	1.46	100	100	0.00	0.11
10	1	Charon Way	1			343	1962	70	0.00	17	415	5.28	0.19	0.00	0.02	100	100	0.00	0.26
11	1	Burtonwood Road South	1			819	2120	70	0.00	39	133	3.10	0.53	0.00	0.12	100	100	0.00	1.73
12	1	Burtonwood Road South	1			335	1980	70	31.00	17	431	4.91	0.19	0.00	0.02	100	100	0.00	0.25
13	1		1			335	Unrestrict ed	70	31.00	0	Unrestrict ed	10.75	0.00	0.00	0.00	100	100	0.00	0.00
14	1					352	Unrestrict ed	70	30.00	0	Unrestrict ed	7.24	0.00	0.00	0.00	100	100	0.00	0.00
15	1	Omega Road North	1			336	1934	70	12.00	17	418	15.52	0.20	0.00	0.02	100	100	0.00	0.26
	2	Burtonwood Road North	1			336	1937	70	12.00	17	419	15.89	0.19	0.00	0.02	100	100	0.00	0.26
16	1		2	2	D	545	1900	30	0.00	65	39	25.95	19.33	76.58	8.23	100	100	0.00	46.80
	2		2	2	D	724 <	1900	30	1.37	90	0	42.98	36.31	86.05	12.34 +	100	100	0.00	111.50
	3		2	2	D	275	1900	30	0.37	33	172	20.63	13.89	62.90	3.37	100	100	0.00	17.24
17	1		2	2	C	59	1900	30	21.00	7	1187	12.30	1.06	2.68	0.03	100	100	0.00	0.27
18	1		2			1011 <	1900	70	31.01	87	4	26.98	18.82	70.73	13.90 +	100	100	209.88	293.87
19	1		2	2	C	402	1900	30	0.00	48	88	20.84	16.99	47.65	3.73	100	100	0.00	29.34
	2		2	2	C	609 <	1900	30	0.00	72	24	19.73	16.11	39.31	4.67 +	100	100	3.67	45.38
20	1		3	2	E	682	1900	41	9.53	61	49	11.66	5.60	28.91	4.88	100	100	2.23	19.78
	2		3	2	E	783	1900	41	7.00	69	31	15.14	9.13	28.49	4.29	100	100	0.42	31.40
	3		3	2	E	275	1900	41	18.05	24	273	9.76	3.62	13.57	1.49	100	100	0.00	4.40
21	1		4	3	K	437	1900	120	8.95	29	213	8.67	2.98	15.35	2.96	100	100	0.00	5.98
	2		4	3	K	437	1900	120	8.95	29	213	9.02	2.98	15.35	2.96	100	100	0.00	5.98


48	1			7	6	B	158	1900	19	0.21	29	206	44.20	20.98	76.27	2.34	100	100	0.00	14.59
49	1			7	6	B	272	1900	19	0.42	51	76	31.71	24.57	82.12	4.35	100	100	0.00	29.16
	2			7	6	B	158	1900	19	0.21	29	206	28.21	20.98	76.27	2.34	100	100	0.00	14.59
50	1			7			430	1900	70	0.00	23	298	16.16	0.28	0.00	0.03	100	100	0.00	0.47
51	1			7	6	B	360 <	1900	19	6.74	100	-10	329.87	310.52	426.17	36.55 +	100	100	0.00	460.01
	2			7	6	B	59	1900	19	11.05	11	728	26.45	6.96	67.92	1.46	100	100	0.00	2.12
52	1						902	Unrestricte d	70	10.00	0	Unrestricte d	19.45	0.00	0.00	0.00	100	100	0.00	0.00
53	1			1			560	1900	70	21.00	29	205	1.40	0.40	0.00	0.06	100	100	0.00	0.87
	2			1			505	1900	70	21.00	27	239	1.34	0.34	0.00	0.05	100	100	0.00	0.68
	3			1			476	1900	70	21.00	25	259	1.32	0.32	0.00	0.04	100	100	0.00	0.59
54	1			1	1	A	335 <	1980	46	8.18	25	255	3.38	2.38	18.04	1.25 +	100	100	0.00	3.69
	2			1	1	A	335 <	1980	46	8.18	25	255	3.38	2.38	18.04	1.25 +	100	100	0.00	3.69

### Network Results


	Distance travelled (PCU-km/hr)	Time spent (PCU- hr/hr)	Mean journey speed (kph)	Total delay (PCU- hr/hr)	Weighted cost of delay (£ per hr)	Weighted cost of stops (£ per hr)	Excess queue penalty (£ per hr)	Performance Index (£ per hr)
Normal traffic	2772.65	478.58	5.79	386.06	5482.12	170.41	230.55	5883.08
Bus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tram	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pedestrians	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>TOTAL</b>	<b>2772.65</b>	<b>478.58</b>	<b>5.79</b>	<b>386.06</b>	<b>5482.12</b>	<b>170.41</b>	<b>230.55</b>	<b>5883.08</b>

- < = adjusted flow warning (upstream links/traffic streams are over-saturated)
- \* = Traffic Stream - Normal, Bus or Tram Stop or Delay weighting has been set to a value other than 100%
- ^ = Traffic Stream - Normal, Bus or Tram Stop or Delay Path weighting has been set to a value other than 100%
- + = average link/traffic stream excess queue is greater than 0
- P.I. = PERFORMANCE INDEX

**A8 - 2021 PM Scenario 5**  
**D8 - 2021 PM Scenario 5\***




**Stage Sequence Diagram for Controller Stream 1**




**Intergreen Matrix for Controller Stream 2**

	To							
	C	D	E	F	G	H	I	J
C		5						
D	5							
E			5	5				
F			5		5			
G			5		5			
H			13	13				
I							6	
J						9		



**Stage Sequence Diagram for Controller Stream 2**



**Intergreen Matrix for Controller Stream 3**

		To	
		K	L
From	K		6
	L	8	

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
3	1	Ü	1	K	93	94	1	1	1
	2	Ü	2	L	100	106	6	1	6
	3	Ü	1	K	114	93	119	1	1

	E	12	
--	---	----	--


### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
4	1	Ü	1	A,E	59	23	34	1	7
	2	Ü	2	B	35	54	19	1	7


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
30	1	5	4	A	59	30	41
30	2	5	4	A	59	30	41
30	3	5	4	A	59	30	41
31	1	5	4	B	35	54	19
32	1	5	4	B	35	54	19
34	1	5	4	B	35	54	19


### Phase Timings Diagram for Controller Stream 4



### Stage Sequence Diagram for Controller Stream 4



**Stage Sequence Diagram for Controller Stream 5**



**Intergreen Matrix for Controller Stream 6**

		To	
		A	B
From	A		6
	B	5	

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
6	1	Ü	1	A	45	10	35	1	7
	2	Ü	2	B	16	40	24	1	7

## Final Prediction Table

### Traffic Stream Results

				SIGNALS		FLOWS		PERFORMANCE				PER PCU			QUEUE S	WEIGHTS		PENALTI E S	P.I.
Arm	Traffic Stream	Name	Traffic node	Controlle r stream	Phas e	Calculate d flow entering (PCU/hr)	Calculated sat flow (PCU/hr)	Actua l green (s (per cycle) )	Waste d time total (s (per cycle))	Degree of saturation (%)	Practical reserve capacity (%)	JourneyTim e (s)	Mean Delay per Veh (s)	Mean stops per Veh (%)	Mean max queue (PCU)	Delay weightin g multiplier (%)	Stop weightin g multiplier (%)	Cost of traffic penalties (£ per hr)	P.I.
RA	1		R3			931	2312	70	14.00	40	124	12.52	0.52	0.00	0.14	100	100	0.00	1.93
RA c	1		R3			17	Unrestricte d	70	70.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RA x	1					693	1800	70	0.00	39	134	12.63	0.63	0.00	0.12	100	100	0.00	1.71
RB	1		R4			179	1149	70	0.00	16	478	12.29	0.29	0.00	0.01	100	100	0.00	0.20
RB c	1		R4			825	Unrestricte d	70	14.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RB x	1					123	Unrestricte d	70	18.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RC	1		R1			486	1623	70	0.00	30	200	12.47	0.47	0.00	0.06	100	100	0.00	0.91
RC c	1		R1			158	Unrestricte d	70	0.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RC x	1					846	Unrestricte d	70	14.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RD	1		R2			67	872	70	0.00	8	1072	12.17	0.17	0.00	0.00	100	100	0.00	0.05
RD c	1		R2			643	Unrestricte d	70	0.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RD x	1					1	Unrestricte d	70	70.00	0	Unrestricte d	12.00	0.00	0.00	0.00	100	100	0.00	0.00
1	1	Burtonwoo d Road South	1	1	B	217	1980	25	0.55	30	199	25.25	16.80	67.86	2.99	100	100	0.00	16.23
2	1	Burtonwoo d Road South	1			667	1980	70	0.00	34	167	4.51	0.46	0.00	0.09	100	100	0.00	1.21
3	2	Burtonwoo d Road South	1	1	B	233	2120	25	0.91	31	194	22.92	16.94	70.06	3.17	100	100	0.00	17.62

22	1					892	Unrestrictecd	140	19.00	0	Unrestrictecd	7.28	0.00	0.00	0.00	100	100	0.00	0.00
23	1		3	2	F	434	1900	17	0.84	93	-3	73.36	64.49	138.33	12.34	100	100	0.00	117.93
24	1		3	2	G	240	1900	10	0.00	80	12	57.21	51.45	123.01	5.86	100	100	0.00	52.40
25	1		3	2	F	433 <	1900	17	0.00	89	2	56.94	50.45	122.44	10.57 +	100	100	0.00	92.81
26	1		3			673	1900	70	0.00	35	154	2.86	0.52	0.00	0.10	100	100	0.00	1.38
27	1		3			1107	1900	70	0.00	58	54	6.20	1.32	0.00	0.41	100	100	0.00	5.76
28	1		3	2	I	804	1900	49	16.32	66	36	11.87	7.52	37.24	5.50	100	100	0.00	27.59
	2		3	2	I	120	1900	49	44.74	10	821	9.97	5.28	75.57	1.96	100	100	0.00	3.63
29	1					924	Unrestrictecd	70	31.00	0	Unrestrictecd	10.40	0.00	0.00	0.00	100	100	0.00	0.00
30	1		5	4	A	755	1900	41	5.16	68	32	23.75	10.88	65.04	13.77	100	100	1.32	39.88
	2		5	4	A	608	1900	41	11.79	54	66	25.72	12.94	67.59	8.05	100	100	0.00	36.19
	3		5	4	A	738	1900	41	8.00	66	36	30.53	17.83	75.03	12.24	100	100	0.00	58.84
31	1		5	4	B	170	1900	19	0.26	32	184	35.03	21.29	76.50	2.53	100	100	0.00	15.91
32	1		5	4	B	376 <	1900	19	0.37	71	28	26.36	23.85	53.69	3.83 +	100	100	0.00	37.91
33	1		5			555	1900	70	33.00	48	86	20.00	8.94	49.97	5.40	100	100	0.00	23.04
34	1		5	4	B	179	1900	19	2.11	33	172	19.27	16.88	43.32	1.51	100	100	0.00	12.89
35	1		6			934	1900	70	14.00	49	83	21.47	0.91	0.00	0.24	100	100	0.00	3.37
36	1		6	5	C	608	1900	47	23.42	47	91	17.78	4.25	36.73	4.58	100	100	0.00	12.98
	2		6	5	C	1114	1900	47	5.32	88	2	27.69	14.75	55.10	14.69	100	100	3.32	75.84
	3		6	5	C	170	1900	47	28.00	13	590	12.63	0.21	0.00	0.01	100	100	0.00	0.14
37	1		6	5	D	199	1900	13	0.32	54	68	40.98	30.73	93.46	3.62	100	100	0.00	26.45
38	1		6	5	D	305	1900	13	0.58	84	7	57.44	50.21	123.17	7.56	100	100	0.00	65.11
39	1		6	5	D	193	1900	13	0.32	52	73	37.47	30.30	93.00	3.50	100	100	0.00	25.32
40	1		6			498	1900	70	0.00	26	243	3.19	0.34	0.00	0.05	100	100	0.00	0.66
41	1					801	Unrestrictecd	70	31.00	0	Unrestrictecd	18.23	0.00	0.00	0.00	100	100	0.00	0.00
42	1		7			1419	1900	70	12.00	75	21	10.77	2.77	0.00	1.09	100	100	0.00	15.52
43	1					540	Unrestrictecd	70	40.00	0	Unrestrictecd	10.74	0.00	0.00	0.00	100	100	0.00	0.00
44	1		7	6	A	879 <	1900	35	0.00	90	0	36.06	26.18	81.51	15.29 +	100	100	13.21	112.96
45	2		7	6	A	369	1900	35	10.37	38	136	21.99	4.48	53.24	4.57	100	100	0.00	8.98

# TRANSYT 15

Version: 15.5.2.7994

© Copyright TRL Limited, 2018

For sales and distribution information, program advice and maintenance, contact TRL:

+44 (0)1344 379777 software@trl.co.uk www.trlsoftware.co.uk

**The users of this computer program for the solution of an engineering problem are in no way relieved of their responsibility for the correctness of the solution**

**Filename:** Junction 8 M62 \_ Proposed Mitigation SC5- HE Response FOR ISSUE.t15

**Path:** M:\50400134 - Omega, Warrington\Omegamega, Warrington\ANALYSIS\Zone 8 Directory\TRANSYT

**Report generation date:** 13/03/2020 16:34:03

---

»A7 - 2021 AM Scenario 5 : D7 - 2021 AM Scenario 5\* :

»A8 - 2021 PM Scenario 5 : D8 - 2021 PM Scenario 5\* :

# A7 - 2021 AM Scenario 5

## D7 - 2021 AM Scenario 5\*

### Signal Timings

Network Default: 70s cycle time; 70 steps

**Intergreen Matrix for Controller Stream 1**

		To					
		A	B	C	D	E	F
From	A		6		0		
	B			5	5		
	C	6	6				6
	D		11				
	E	8					
	F		5				

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
1	1	Ü	1	B,F,A	26	64	38	1	7
	2	Ü	2	A,D,F	69	0	1	1	1
	3	Ü	3	C,D,E	6	15	9	1	5

### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
1	1	1	1	B	26	64	38
3	2	1	1	B	26	64	38
4	1	1	1	B	26	64	38
5	1	1	1	C	6	17	11
6	1	1	1	C	6	17	11
7	1	1	1	C	6	17	11

	H			13	13			
	I						6	
	J					9		

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
2	1	Ü	4	C,E,H,I	69	8	9	1	1
	2	Ü	5	D,E,H,I	13	32	19	1	1
	3	Ü	6	C,F,J	48	52	4	1	4
	4	Ü	7	C,F,G,I	61	64	3	1	1

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
16	1	2	2	D	13	43	30
16	2	2	2	D	13	43	30
16	3	2	2	D	13	43	30
17	1	2	2	C	48	8	30
19	1	2	2	C	48	8	30
19	2	2	2	C	48	8	30
20	1	3	2	E	69	40	41
20	2	3	2	E	69	40	41
20	3	3	2	E	69	40	41
23	1	3	2	F	45	64	19
24	1	3	2	G	52	64	12
25	1	3	2	F	45	64	19
28	1	3	2	I	61	40	49
28	2	3	2	I	61	40	49

### Phase Timings Diagram for Controller Stream 2


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
21	1	4	3	K	99	79	120
21	2	4	3	K	99	79	120

### Phase Timings Diagram for Controller Stream 3




### Stage Sequence Diagram for Controller Stream 3



### Intergreen Matrix for Controller Stream 4

		To		
		A	B	E
From	A	5		
	B	5		5



### Intergreen Matrix for Controller Stream 5

		To	
		C	D
From	C	5	
	D	5	

### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
5	1	Ü	1	C	67	37	40	1	7
	2	Ü	2	D	42	62	20	1	7

### Traffic Stream Green Times


Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
36	1	6	5	C	67	37	40
36	2	6	5	C	67	37	40
36	3	6	5	C	67	37	40
37	1	6	5	D	42	62	20
38	1	6	5	D	42	62	20
39	1	6	5	D	42	62	20

### Phase Timings Diagram for Controller Stream 5


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
44	1	7	6	A	50	20	40
45	2	7	6	A	50	20	40
48	1	7	6	B	26	45	19
49	1	7	6	B	26	45	19
49	2	7	6	B	26	45	19
51	1	7	6	B	26	45	19
51	2	7	6	B	26	45	19

### Phase Timings Diagram for Controller Stream 6



### Stage Sequence Diagram for Controller Stream 6



4	1	Burtonwood Road South	1	1	B	395	1975	38	0.71	37	146	15.91	9.76	54.18	4.17	100	100	0.00	17.89
5	1	Charon Way Left	1	1	C	17	1995	11	11.00	5	1711	26.74	24.72	81.56	0.28	100	100	0.00	1.83
6	1	Charon Way Right	1	1	C	164 <	1842	11	0.11	52	72	34.78	32.72	94.48	3.02 +	100	100	0.00	23.11
7	1	Charon Way Right	1	1	C	162	1819	11	0.00	52	73	45.59	32.57	94.34	2.98	100	100	0.00	22.73
8	1	Charon Way	1			181	1653	70	0.00	11	722	11.31	0.13	0.00	0.01	100	100	0.00	0.10
10	1	Charon Way	1			343	1962	70	0.00	17	415	5.28	0.19	0.00	0.02	100	100	0.00	0.26
11	1	Burtonwood Road South	1			819	2120	70	0.00	39	133	3.10	0.53	0.00	0.12	100	100	0.00	1.73
12	1	Burtonwood Road South	1			335	1980	70	35.00	17	431	4.91	0.19	0.00	0.02	100	100	0.00	0.25
13	1		1			335	Unrestrict ed	70	35.00	0	Unrestrict ed	10.75	0.00	0.00	0.00	100	100	0.00	0.00
14	1					352	Unrestrict ed	70	34.00	0	Unrestrict ed	7.24	0.00	0.00	0.00	100	100	0.00	0.00
15	1	Omega Road North	1			336	1934	70	15.96	18	396	15.60	0.28	3.53	1.47	100	100	0.00	0.51
	2	Burtonwood Road North	1			336	1937	70	15.96	18	397	16.00	0.28	3.53	1.47	100	100	0.00	0.51
16	1		2	2	D	545	1900	30	0.00	65	39	25.95	19.33	76.58	8.23	100	100	0.00	46.80
	2		2	2	D	724 <	1900	30	1.37	90	0	42.98	36.31	86.05	12.34 +	100	100	0.00	111.50
	3		2	2	D	275	1900	30	0.37	33	172	20.63	13.89	62.90	3.37	100	100	0.00	17.24
17	1		2	2	C	239	1900	30	6.16	29	215	16.19	12.39	38.44	1.79	100	100	0.00	12.86
18	1		2			706	1900	70	30.42	48	89	17.22	9.70	69.42	9.37	100	100	39.84	73.01
	2		2			913	1900	70	28.41	63	43	18.07	10.55	60.93	10.53	100	100	87.69	132.65
19	1		2	2	C	706 <	1900	30	0.00	84	7	21.21	16.79	44.34	6.16 +	100	100	23.96	74.64
	2		2	2	C	673 <	1900	30	0.00	80	12	22.44	18.31	45.04	5.92 +	100	100	19.80	72.25
20	1		3	2	E	579	1900	41	11.26	51	76	12.55	6.50	26.40	3.16	100	100	0.00	16.74
	2		3	2	E	963 <	1900	41	4.00	85	6	22.18	16.16	49.74	9.25 +	100	100	107.05	174.49

45	2		7	6	A	651	1900	40	12.86	68	32	25.21	7.70	70.26	7.99	100	100	0.00	25.51
46	1		7			968	1900	70	0.00	51	77	8.81	0.98	0.00	0.26	100	100	0.00	3.75
47	1		7			588	1900	70	0.00	31	191	4.36	0.42	0.00	0.07	100	100	0.00	0.98
48	1		7	6	B	158	1900	19	0.21	29	206	44.20	20.98	76.27	2.34	100	100	0.00	14.59
49	1		7	6	B	272	1900	19	0.42	51	76	31.71	24.57	82.12	4.35	100	100	0.00	29.16
	2		7	6	B	158	1900	19	0.21	29	206	28.21	20.98	76.27	2.34	100	100	0.00	14.59
50	1		7			430	1900	70	0.00	23	298	16.16	0.28	0.00	0.03	100	100	0.00	0.47
51	1		7	6	B	484	1900	19	0.95	94	-4	81.17	61.82	134.4 8	13.27	100	100	0.00	126.1 9
	2		7	6	B	484	1900	19	0.97	94	-4	81.70	62.22	135.0 2	13.33	100	100	0.00	126.9 7
52	1					902	Unrestricte d	70	9.00	0	Unrestricte d	19.45	0.00	0.00	0.00	100	100	0.00	0.00
53	1		1			560	1900	70	19.00	29	205	1.40	0.40	0.00	0.06	100	100	0.00	0.87
	2		1			505	1900	70	19.00	27	239	1.34	0.34	0.00	0.05	100	100	0.00	0.68
	3		1			476	1900	70	19.00	25	259	1.32	0.32	0.00	0.04	100	100	0.00	0.59
54	1		1	1	A	335 <	1980	47	13.36	25	261	4.68	3.68	19.14	1.25 +	100	100	0.00	5.44
	2		1	1	A	335 <	1980	47	13.36	25	261	4.68	3.68	19.14	1.25 +	100	100	0.00	5.44


## Network Results

	Distance travelled (PCU-km/hr)	Time spent (PCU-hr/hr)	Mean journey speed (kph)	Total delay (PCU-hr/hr)	Weighted cost of delay (£ per hr)	Weighted cost of stops (£ per hr)	Excess queue penalty (£ per hr)	Performance Index (£ per hr)
Normal traffic	3068.27	204.01	15.04	101.64	1443.30	164.88	364.10	1972.28
Bus	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tram	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Pedestrians	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>TOTAL</b>	<b>3068.27</b>	<b>204.01</b>	<b>15.04</b>	<b>101.64</b>	<b>1443.30</b>	<b>164.88</b>	<b>364.10</b>	<b>1972.28</b>


- < = adjusted flow warning (upstream links/traffic streams are over-saturated)
- \* = Traffic Stream - Normal, Bus or Tram Stop or Delay weighting has been set to a value other than 100%
- ^ = Traffic Stream - Normal, Bus or Tram Stop or Delay Path weighting has been set to a value other than 100%
- + = average link/traffic stream excess queue is greater than 0
- P.I. = PERFORMANCE INDEX

54	1	1	1	A	27	63	36
54	2	1	1	A	27	63	36

Phase Timings Diagram for Controller Stream 1




Stage Sequence Diagram for Controller Stream 1




Intergreen Matrix for Controller Stream 2

	To							
	C	D	E	F	G	H	I	J
From	C	5						
	D	5						
	E			5	5			
	F			5		5		
	G		5		5			



**Stage Sequence Diagram for Controller Stream 2**



**Intergreen Matrix for Controller Stream 3**

To			
		K	L
From	K		6
	L	8	

**Resultant Stages**

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
3	1	Ü	1	K	78	79	1	1	1
	2	Ü	2	L	85	91	6	1	6
	3	Ü	1	K	99	78	119	1	1

	E	12	
--	---	----	--


### Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
4	1	Ü	1	A,E	59	23	34	1	7
	2	Ü	2	B	35	54	19	1	7


### Traffic Stream Green Times

Arm	Traffic Stream	Traffic Node	Controller Stream	Phase	Green Period 1		
					Start	End	Duration
30	1	5	4	A	59	30	41
30	2	5	4	A	59	30	41
30	3	5	4	A	59	30	41
31	1	5	4	B	35	54	19
32	1	5	4	B	35	54	19
34	1	5	4	B	35	54	19


### Phase Timings Diagram for Controller Stream 4



### Stage Sequence Diagram for Controller Stream 4



Stage Sequence Diagram for Controller Stream 5



Intergreen Matrix for Controller Stream 6

	To	
From	A	B
	A	6
B	5	

Resultant Stages

Controller Stream	Resultant Stage	Is base stage	Library Stage ID	Phases in this stage	Stage start (s)	Stage end (s)	Stage duration (s)	User stage minimum (s)	Stage minimum (s)
6	1	Ü	1	A	45	14	39	1	7
	2	Ü	2	B	20	40	20	1	7

## Final Prediction Table

### Traffic Stream Results

				SIGNALS		FLOWS		PERFORMANCE				PER PCU			QUEUE S	WEIGHTS		PENALTI E S	P.I.
Arm	Traffic Stream	Name	Traffic node	Controller stream	Phase	Calculated flow entering (PCU/hr)	Calculated sat flow (PCU/hr)	Actual green (s (per cycle))	Wasted time total (s (per cycle))	Degree of saturation (%)	Practical reserve capacity (%)	JourneyTime (s)	Mean Delay per Veh (s)	Mean stops per Veh (%)	Mean max queue (PCU)	Delay weighting multiplier (%)	Stop weighting multiplier (%)	Cost of traffic penalties (£ per hr)	P.I.
RA	1		R3			941	2312	70	14.00	41	121	12.53	0.53	0.00	0.14	100	100	0.00	1.98
RAc	1		R3			17	Unrestricted	70	70.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RAx	1					693	1800	70	0.00	39	134	12.63	0.63	0.00	0.12	100	100	0.00	1.71
RB	1		R4			179	1144	70	0.00	16	475	12.29	0.29	0.00	0.01	100	100	0.00	0.21
RBc	1		R4			834	Unrestricted	70	14.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RBx	1					124	Unrestricted	70	18.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RC	1		R1			486	1623	70	0.00	30	200	12.47	0.47	0.00	0.06	100	100	0.00	0.91
RCc	1		R1			158	Unrestricted	70	0.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RCx	1					855	Unrestricted	70	14.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RD	1		R2			67	872	70	0.00	8	1072	12.17	0.17	0.00	0.00	100	100	0.00	0.05
RDc	1		R2			643	Unrestricted	70	0.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
RDx	1					1	Unrestricted	70	70.00	0	Unrestricted	12.00	0.00	0.00	0.00	100	100	0.00	0.00
1	1	Burtonwood Road South	1	1	B	217	1980	27	0.45	28	223	23.68	15.23	64.13	2.71	100	100	0.00	14.78
2	1	Burtonwood Road South	1			667	1980	70	0.00	34	167	4.51	0.46	0.00	0.09	100	100	0.00	1.21
3	2	Burtonwood Road South	1	1	B	233	2120	27	0.91	28	217	21.33	15.35	66.95	3.03	100	100	0.00	16.06

	2		4	3	K	317	1900	120	5.26	20	346	8.32	2.28	15.17	1.88	100	100	0.00	3.46
22	1					917	Unrestrictecd	140	19.00	0	Unrestrictecd	7.28	0.00	0.00	0.00	100	100	0.00	0.00
23	1		3	2	F	434	1900	17	0.84	93	-3	73.36	64.49	138.33	12.34	100	100	0.00	117.93
24	1		3	2	G	240	1900	10	0.00	80	12	57.21	51.45	123.01	5.86	100	100	0.00	52.40
25	1		3	2	F	433 <	1900	17	0.00	89	2	56.94	50.45	122.44	10.57 +	100	100	0.00	92.81
26	1		3			673	1900	70	0.00	35	154	2.86	0.52	0.00	0.10	100	100	0.00	1.38
27	1		3			1107	1900	70	0.00	58	54	6.20	1.32	0.00	0.41	100	100	0.00	5.76
28	1		3	2	I	722	1900	49	21.09	62	45	12.25	7.90	43.74	5.47	100	100	0.00	26.46
	2		3	2	I	202	1900	49	40.56	17	425	8.41	3.72	60.83	1.97	100	100	0.00	4.50
29	1					924	Unrestrictecd	70	33.00	0	Unrestrictecd	10.40	0.00	0.00	0.00	100	100	0.00	0.00
30	1		5	4	A	765	1900	41	5.21	69	30	26.03	13.16	73.45	11.09	100	100	0.00	46.77
	2		5	4	A	608	1900	41	6.37	54	67	21.94	9.17	36.44	4.28	100	100	0.00	24.76
	3		5	4	A	738	1900	41	6.37	65	38	23.02	10.32	33.17	4.99	100	100	0.00	33.11
31	1		5	4	B	170	1900	19	0.26	32	184	35.03	21.29	76.50	2.53	100	100	0.00	15.91
32	1		5	4	B	376 <	1900	19	0.37	71	28	26.36	23.85	53.69	3.83 +	100	100	0.00	37.91
33	1		5			555	1900	70	33.00	48	86	20.00	8.94	49.97	5.40	100	100	0.00	23.04
34	1		5	4	B	179	1900	19	2.11	33	172	19.27	16.88	43.32	1.51	100	100	0.00	12.89
35	1		6			944	1900	70	14.00	50	81	23.38	0.93	0.00	0.24	100	100	0.00	3.48
36	1		6	5	C	608	1900	47	20.58	47	91	22.12	8.58	50.38	6.08	100	100	0.00	24.43
	2		6	5	C	1114	1900	47	5.37	88	2	28.48	15.54	68.81	16.26	100	100	18.74	96.65
	3		6	5	C	170	1900	47	28.00	13	590	12.63	0.21	0.00	0.01	100	100	0.00	0.14
37	1		6	5	D	199	1900	13	0.32	54	68	42.31	30.73	93.46	3.62	100	100	0.00	26.45
38	1		6	5	D	305	1900	13	0.58	84	7	57.44	50.21	123.18	7.56	100	100	0.00	65.11
39	1		6	5	D	193	1900	13	0.32	52	73	37.47	30.30	93.00	3.50	100	100	0.00	25.32
40	1		6			498	1900	70	0.00	26	243	4.55	0.34	0.00	0.05	100	100	0.00	0.66
41	1					801	Unrestrictecd	70	28.00	0	Unrestrictecd	18.23	0.00	0.00	0.00	100	100	0.00	0.00
42	1		7			1419	1900	70	12.00	75	21	10.77	2.77	0.00	1.09	100	100	0.00	15.52
43	1					540	Unrestrictecd	70	40.00	0	Unrestrictecd	10.74	0.00	0.00	0.00	100	100	0.00	0.00
44	1		7	6	A	879	1900	39	0.00	81	11	21.71	11.83	52.98	10.41	100	100	0.00	46.86
45	2		7	6	A	369	1900	39	10.00	34	165	20.30	2.79	47.21	4.49	100	100	0.00	6.24



7 Lochside View  
Edinburgh Park  
Edinburgh, Midlothian  
EH12 9DH

[wsp.com](http://wsp.com)

CONFIDENTIAL